

**No.BB /GD/Acctt-107/17-18/**  
**GOVERNMENT OF INDIA**  
**MINISTRY OF WATER RESOURCES,**  
**RIVER DEVELOPMENT & GANGA REJUVENATION**  
**BRAHMAPUTRA BOARD::GUWAHATI DIVISION**  
**BASISTHA::GUWAHATI-781029**

TENDER NO. BB/GD/17-18/25

Dated :20-01-2017

**NOTICE INVITING TENDER**


Sealed item rate tender in prescribed forms are invited on behalf of Chairman, Brahmaputra Board, Guwahati, from registered approved and eligible contractor of CPWD, Railways, P&T, MES and state PWD/Irrigation/Water Resources/PHE Department for the following work.

Group No	Name of work	Location	Est. Cost (Rs.)	Earnest Money (Rs)	Cost of Tender Paper (Rs)	Time for completion of the work
1	2	3	4	5	6	7
1	Repairing of Staff Bus Garage at Brahmaputra Board Head Quarter Complex , Basistha, Guwahati-29	Brahmaputra Board Head Quarter Complex Basistha, Guwahati-29	34,518.00	700.00	150.00	25 (twenty five) days

The intending tenderer may collect the detailed tender document containing terms and condition of contract from this office from **20-1-2018** in all working days upto 1500 hrs of **27-01-2018** along with the cost of tender document as shown above, in the shape of IPO/D.D drawn in favour of the Financial Adviser, Brahmaputra Board , Basistha , Guwahati-29. The tenderer should produce the original copies of registration certificate, PAN card and GST registration certificate at the time of procurement of tender document. Sealed tender document will be received in the office of the undersigned up to 1500 hrs of **29-01-2018** and will be opened on the same day at same place at 1530 hrs in presence bidder or their authorized agent.

Other detail / information can be seen on website [www.brahmaputraboard.gov.in](http://www.brahmaputraboard.gov.in). Intending bidders may download the tender directly from website. However, the bidders will have to deposit the cost of tender paper at the time of submission of tender paper in the form and manner mentioned in the Detailed Notice Inviting Tender.

The undersigned reserves the right to reject any or all tenders without assigning any reason thereof and not bound to accept the lowest tender.

  
 20/1/18  
 Executive Engineer  
 Guwahati Division

Copy for information to:-

1. The Superintending Engineer, Guwahati Circle, Brahmaputra Board, Basistha, Guwahati-29
2. The Executive Engineer (Assets), Brahmaputra Board, Basistha, Guwahati-29 with request for publication of the complete document in the web site of Brahmaputra Board on or before 22-01.2018 (Soft copy enclosed in pdf format)
3. The Executive Engineer, North Guwahati Division , Brahmaputra Board, North Guwahati,for ~~information~~ information.
4. The Junior Engineer, Nazarat Branch, Brahmaputra Board, Basistha, Guwahati-29.He is requested to publish the complete quotation document in Brahmaputra Board's web site. (Soft copy enclosed)
5. The Hindi Officer, Brahmaputra Board, Basistha, Guwahati-29
6. The Assistant Executive Engineer, Guwahati Sub- Division, Guwahati, Assam for wide circulation
7. All Notice Boards of Brahmaputra Board HQ, Basistha, Guwahati , Relevent file

GOVERNMENT OF INDIA  
MINISTRY OF WATER RESOURCES  
RIVER DEVELOPMENT & GANGA REJUVENATION  
BRAHMAPUTRA BOARD::GUWAHATI DIVISION  
GUWAHATI-781029

DETAILED NOTICE INVITING TENDER

- 1.0 Sealed Item Rate Tenders is invited on behalf of the Chairman, Brahmaputra Board from approved and eligible Contractors of CPWD, Dept. of Telecommunications, MES, Railways, State PWD / PHE / Irrigation / Water Resources etc. for the works as mentioned in the NIT No: BB/GD/17-18/25 Dt. 20-1-2018
- 1.1 The estimated cost as mentioned in the NIT against each work is given merely as a rough guide.
- 1.2 This tender is invited under single envelope system. The tenderer should produce the original copies of Firm/contractor registration certificate, PAN card and GST registration certificate at the time of procurement of tender document. Self attested copies of these documents are to be submitted along with the bid document during submission.
- 2.0 Agreement shall be drawn with the successful Bidder on prescribed Form No. CPWD-7/8, which is also available as a Govt. of India publication. Bidder shall quote his rates as per various terms and conditions of the said Form which will form part of the Agreement. Clauses No. 2A, 6A, 10CC, 10D, 17, 31-A of CPWD Form-7/8 stand deleted.
- 3.0 The time allowed for completion of the work will be as shown in the NIT against each work. The date of commencement will be counted from the 10<sup>th</sup> day of issue of work order in accordance with the phasing, if any, indicated in the tender documents.
- 4.0 The site for the work shall be made available within 5(five) days after the date of issue of work order.
- 5.0 Receipt of applications for issue of Tender Document will be stopped by 14:00 hours on 27.1.2017 and Tender document will be issued up to 15:00 hours of 27.1.2018
- 6.0 Tender documents consisting of plans, specifications, the schedule of quantities of the various classes of work to be done and the set of terms & conditions of contract to be complied with by the contractor whose tender may be accepted and other necessary documents can be seen in the office of the Executive Engineer, Guwahati Division, Brahmaputra Board, Guwahati, Assam, Pin-781029 between 11.00 hours to 15:00 hours every day from 20.1.201 to 27.01.2018 except on 2<sup>nd</sup> Saturdays, Sundays and public holidays. Tender documents, excluding standard form, will be issued from his office, during the office hours specified above, on payment of cost of tender paper as mentioned in the NIT in the form of IPO/Demand Draft drawn in favour of the Financial Adviser, Brahmaputra Board, Basistha, Guwahati-29 and payable at Guwahati.
- 7.0 Tender shall be accompanied with earnest money as shown in the NIT in the form of Deposit at Call Receipt of a Schedule Bank guaranteed by the Reserve Bank of India/ Banker's Cheque of a Schedule Bank / Fixed Deposit Receipt (FDR) of a Scheduled Bank issued in favour of the Executive Engineer, Guwahati Division, Brahmaputra Board, Guwahati, Assam
- 8.0 The tenderer should produce the copies of registration certificate, PAN card and GST registration certificate at the time of submission of tender document. Sealed tender document will be received in

9.0 The description of the work is as per the schedule enclosed for different group of work.

Details are as below:


Location	Quantity of Work
Work site is located at Brahmaputra Board Head Quarter Complex Basistha, Guwahati-29	The quantity and various items of work to be executed are as per Schedule enclosed group wise

Copies of other drawings and documents pertaining to the works will be open for inspection by the Bidders at the office of the above mentioned officer.

Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A Bidder shall be deemed to have full knowledge of the site whether he inspect it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The Bidder shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a Bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plants, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.

- 10.0 The competent authority on behalf of the Chairman, Brahmaputra Board does not bind him to accept the lowest or any other tender and reserves to himself the authority to reject any or all the tenders received without assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the Bidder shall be summarily rejected.
- 11.0 Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- 12.0 The competent authority on behalf of the Chairman, Brahmaputra Board reserves to himself the right of accepting the whole or any part of the tender and the Bidder shall be bound to perform the same at the rate quoted.
- 13.0 The contractor shall not be permitted to tender for works in which his near relative is posted as Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive) in Brahmaputra Board. He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any Gazetted Officer in the Brahmaputra Board or in the Ministry of Water Resources. Any breach of this condition by the contractor would render him liable to be rejected.

- 14.0 No Engineer of Gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the previous permission of the Government of India in writing. The contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.
- 15.0 The tender for the work shall remain open for acceptance for a period of 90 (ninety) days from the date of opening of tenders. If any Bidder withdraws his tender before the said period or before issue letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the Department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the Bidder shall not be allowed to participate in the re-tendering process of the work.
- 16.0 This Notice Inviting Tender shall form a part of the contract document. The successful Bidder / contractor, on acceptance of his tender by the accepting authority, shall, within 10 days from the date of issue of work order, sign the contract agreement consisting of:-
- The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forms the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
  - Standard CPWD Form-7/8.
- 17.0 (a) Rate quoted should include all types of taxes as applicable and necessary taxes will be deducted from the bill at the time of payment.
- (b) All rates should be quoted in figures as well as in words. In case of discrepancy in the rate quoted by the contractor in words & figures, the rate quoted in words will be considered as the correct rate.
18. Award Criteria
- The employer reserves the right, without being liable for any damages or obligation to inform the bidder to.
- Amend the scope and value of contract of the bidder,
  - Reject any or all the applications without assigning any reason thereof.
  - Any effort on the part of the bidder or his agent to exercise influence or to pressurize the employer would result in rejection of his bid. Canvassing of any kind is prohibited.

  
Executive Engineer,  
Guwahati Division

  
20/1/18

Schedule Of Work

Name of Work: Repairing of staff Bus garage at Brahmaputra Board head quarter complex, Basistha, Ghly - 29

Sl. No	Particular of works	Unit	Qntty	Rate in Figure( Rs).	Rate in Words( Rs).
1	Demolishing brickwork including stacking of serviceable materials and disposal of unserviceable materials as directed for all levels	m3	0.955		
2	Demolishing RCC work including stacking of steel bars and disposal of unserviceable material as directed for all levels	m3	0.083		
3	65 mm thick cement concrete floor consisting of 50 mm under layer of cement concrete in prop. 1:3:6 (1cement : 3 coarse sand : 6 coarse aggregate of 25mm and down) and 15 mm thick wearing layer in cement concrete in prop. 1:1:2 (1cement : 1 coarse sand : 2 coarse aggregate of size 10mm down) laid in panels and finished with a floating coat of neat cement finish (using cement slurry for bond @ 2.75 kg. per square metre of floor area) including curing etc. complete as directed.	m2	20.00		
4	Providing soling in foundation and under floor with stone/ best quality picked jhama brick, sand packed and laid to level and in panel after preparing the subgrade as directed including all labour and materials and if necessary dewatering, complete (a).Brick on flat soling.	m2	20.00		

*Praveen*  
*20/11/11*

Sl. No	Particular of works	Unit	Qntty	Rate in Figure( Rs).	Rate in Words( Rs).
5	<p>Earthwork in excavation for foundation trenches of walls, retaining walls, footings of column, steps, septic tank etc. including refilling (return filling) the quantity as necessary after completion of work, breaking clods in return filling, dressing, watering and ramming etc. and removal of surplus earth with all lead and lifts as directed and specified in the following classification of soils including bailing out water where necessary as directed and specified.</p> <p><b>(A) Up to a depth of 2.00m below the existing ground level.</b></p> <p>(a) In ordinary soil</p>	m3	1.50		
6	<p>Brick work in cement mortar with 1st class brick including racking out joints and curing complete as directed.</p> <p><b>(II) In superstructure</b> above plinth level up to 1st floor level.</p> <p>(a) In proportion 1:4.(1 cement:4 sand)</p>	m3	0.28		
7	<p>Dismantling all types of corrugated/ trapezoidal sheet roofing including ridges, hips, valleys and gutters etc. and stacking the materials as directed by the department for all levels</p>	m2	15.0		

*Prakash*  
20/1/14

Sl. No	Particular of works	Unit	Qntty	Rate in Figure( Rs).	Rate in Words( Rs).
8	<p>Supplying, fitting and fixing in position reinforcement bars conforming to relevant I.S. Code for R.C.C. work/ R.B. walling including straightening, cleaning, cutting and bending to proper shapes and length as per details, supplying and binding with 20G annealed black wire and placing in position with proper blocks, supports, chairs, spacers etc. complete.</p> <p>(No extra measurement for lap, hook, chair, anchor etc. will be entertained in the measurement as they are included in the rate) (Upto 1st floor level)</p> <p>b) Other ISI approved TMT reinforcement bar (SAI/BISCON/THERMAX) (For Assam Type Bldg., drain works,,retaining wall&amp;boundary wall etc.</p> <p>c) ISI approved Mild steel reinforcement bar(M.S.Bar)</p>	Qtl	0.142		
		Qtl	0.026		
9	<p>Providing form work of ordinary timber planking so as to give a rough finish including centering, shuttering, strutting and propping etc., height of propping and centering below supporting floor to ceiling not exceeding 4.0M and removal of the same for in-situ reinforced concrete and plain concrete work in:</p> <p>Columns, Pillars, Posts &amp; Strut</p> <p>(a) Square, Rectangular, polygonal in plan or any shape like Tee/L etc. having plane vertical face</p> <p>(ii) Using 25mm thick plank</p>	m2	2.28		

Sl. No	Particular of works	Unit	Qntty	Rate in Figure( Rs).	Rate in Words( Rs).
10	<p>Providing and laying plain/reinforced cement concrete works cement, coarse sand &amp; 20mm down graded stone aggregate including dewatering if necessary, and curing complete but excluding cost of form work and reinforcement for reinforced cement concrete work (form work and reinforcement will be measured and paid separately)</p> <p><b>(B) In super structure from plinth level up to 1st floor level.</b></p> <p>ii) <b>Columns, pillars, posts,</b> struts, suspended floor, roof, landing, shelf and support, balcony, lintel, sill band, beam, girder, bressumer, cantilever, staircase (except spiral staircase and landing ) including preparing the top surface and finishing of nosing</p> <p><b>N) Without using admixture, plasticiser</b></p> <p>a) M15 grade concrete or Prop. 1:2:4</p>	m3	0.086		
11	<p><b>15 mm thick Cement plaster in single coat on</b> single or half brick wall for interior plastering up to 1st floor level including arises, internal rounded angles, not exceeding 80mm girth and finished even and smooth including curing complete as directed.</p> <p><b>A) On rough side</b></p> <p>a) In cement mortar 1:4</p> <p><b>B) On fair side</b></p> <p>a) In cement mortar 1:4</p>	m2	4.52		
		m2	2.44		

*For works*



Sl. No	Particular of works	Unit	Qntty	Rate in Figure( Rs).	Rate in Words( Rs).
12	Labour for fitting and fixing Galvd corrugated iron roofing including supplying and fixing with new galvd screw, J hook, bolts nuts, washer etc. complete as directed.	m2	15.0		
13	Applying primary coat over new steel and other metal surface over 100m in width or girth after preparing the surface by thoroughly cleaning oil,grease, dirt and other foreign matter and scoured with wire brushes, fine steels, wood scrapers and sand paper.  a). With ready mixed "red-lead/ red oxide" primer.	m2	52.50		
14	Painting one coats on old G.C.I sheets with ready mixed anticorrosive paint of approved brand and shade suitable for painting over G.C.I sheets to give an even shade including the cleaning the rust patches with emery paper, dust ,dirt, grease and other foreign matter with water complete.	m2	52.50		
15	Extra over item no.14 for every subsequent coat of paint.	m2	52.50		

*Pravin*

Sl. No	Particular of works	Unit	Qntty	Rate in Figure( Rs).	Rate in Words( Rs).
16	(o) Distempering (one coat) with oil bound distemper of approved brand and manufacture and of required shade on old wall surface to give an even shade, after throughly brooming the surface free from dirt, loose scales and other foreign matter and also including preparing the surface even and sand papered smooth.	m2	56.84		
17	p) Extra over item no (m), (n) and (o) above for every subsequent coat of distempering with oil bound distemper of approved brand and manufacture.	m2	56.84		
18	Painting one coat (excluding priming coat) on old wood and wood based surfaces with enamel paint to give an even shade including cleaning the surface of all dirt, dust and other foreign matter sand papering and stopping. (ii).Surfaces up to 100mm in width or girth. b). High gloss (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac).	Rm	188.11		

*Handwritten signature*

Signature  
Name of Contractor  
Date