

No.BB /GD/Acctt-107/18-19/ 461
 GOVERNMENT OF INDIA
 MINISTRY OF WATER RESOURCES,
 RIVER DEVELOPMENT & GANGA REJUVENATION
 BRAHMAPUTRA BOARD::GUWAHATI DIVISION
 BASISTHA::GUWAHATI-781029

TENDER NO. BB/GD/18-19/03

Dated 25.07.2018

NOTICE INVITING TENDER


Sealed item rate tender in prescribed forms are invited on behalf of Chairman, Brahmaputra Board, Guwahati, from registered approved and eligible contractor of CPWD, Railways, P&T, MES, APDCL and state PWD/Irrigation/Water Resources/PHE Department for the following work.

Group No	Name of work	Location	Estd. Cost	Earnest Money (Rs)	Cost of Tender Paper (Rs)	Time for completion of the work
1	2	3	4	5	6	7
1	Repairing, painting and colour washing of existing Security Restroom at Headquarters of Brahmaputra Board, Basistha, Guwahati - 29.	Brahmaputra Board Head Quarter Complex Basistha,	54,470.00	1090.00	150.00	25 (twenty five) days
2	Repairing, painting and colour washing of departmental Quarter Type - III/2 at Headquarters of Brahmaputra Board complex, Basistha, Guwahati - 29	Brahmaputra Board Head Quarter Complex Basistha,	90,380.00	1810.00	150.00	40 (forty) days
3	Repairing, painting and colour washing of departmental Quarter Type - V/4 at Headquarters of Brahmaputra Board complex, Basistha, Guwahati - 29.	Brahmaputra Board Head Quarter Complex Basistha,	24,590.00	500.00	150.00	25 (twenty five) days
4	Repairing, painting and colour washing of departmental Quarter Type - V/5 at Headquarters of Brahmaputra Board complex, Basistha, Guwahati - 29.	Brahmaputra Board Head Quarter Complex Basistha,	31,390.00	630.00	150.00	25 (twenty five) days

The intending tenderer may collect the detailed tender document containing terms and condition of contract from this office from **26-07-2018** in all working days upto 1500 hrs of **02-08-2018** along with the cost of tender document as shown above, in the shape of IPO/D.D drawn in favour of the Financial Adviser, Brahmaputra Board , Basistha , Guwahati-29. The tenderer should produce the original copies of registration certificate, PAN card and GST registration certificate at the time of procurement of tender document. Sealed tender document will be received in the office of the undersigned up to 1500 hrs of **04-08-2018** and will be opened on the same day at same place at 1530 hrs in presence bidder or their authorized agent.

Other detail / information can be seen on website www.brahmaputraboard.gov.in. Intending bidders may download the tender directly from website. However, the bidders will have to deposit the cost of tender paper at the time of submission of tender paper in the form and manner mentioned in the Detailed Notice Inviting Tender.

The undersigned reserves the right to reject any or all tenders without assigning any reason thereof and not bound to accept the lowest tender.


Executive Engineer
Guwahati Division

Copy for information to:-

1. The Superintending Engineer, Guwahati Circle, Brahmaputra Board, Basistha, Guwahati-29
2. The Executive Engineer (HQ), Brahmaputra Board, Basistha, Guwahati-29 with request for publication of the complete document in the web site of Brahmaputra Board on or before 26.07.2018 (Soft copy enclosed in pdf format)
3. The Junior Engineer, Nazarat Branch, Brahmaputra Board, Basistha, Guwahati-29. He is requested to publish the complete tender document in Brahmaputra Board's web site. (Soft copy enclosed)
4. The Hindi Officer, Brahmaputra Board, Basistha, Guwahati-29
5. The Assistant Executive Engineer, Guwahati Sub Division/Electro-Mechanical Sub- Division, Guwahati/, Mirza Sub Division, Mirza /Shillong Sub Division, Shillong /Pancharatna Sub Division, Panchsaratna, Assam for wide circulation
6. All Notice Boards of Brahmaputra Board HQ, Basistha, Guwahati ,
7. Relevant file

GOVERNMENT OF INDIA
MINISTRY OF WATER RESOURCES
RIVER DEVELOPMENT & GANGA REJUVENATION
BRAHMAPUTRA BOARD::GUWAHATI DIVISION
GUWAHATI-781029

DETAILED NOTICE INVITING TENDER

- 1.0 Sealed Item Rate Tenders is invited on behalf of the Chairman, Brahmaputra Board from approved and eligible Electrical Contractors of CPWD, Dept. of Telecommunications, MES, APDCL, Railways, State PWD / PHE / Irrigation / Water Resources etc. for the works as mentioned in the NIT No- BB/GD/18-19/03 Dt.25.7.18....
- 1.1 The estimated cost as mentioned in the NIT against each work is given merely as a rough guide.
- 1.2 This tender is invited under single envelope system. The tenderer should produce the original copies of Firm/contractor registration certificate, PAN card and GST registration certificate at the time of procurement of tender document. Self attested copies of these documents are to be submitted along with the bid document during submission.
- 2.0 Agreement shall be drawn with the successful Bidder on prescribed Form No. CPWD-7/8, which is also available as a Govt. of India publication. Bidder shall quote his rates as per various terms and conditions of the said Form which will form part of the Agreement. Clauses No. 2A, 6A, 10CC, 10D, 17, 31-A of CPWD Form-7/8 stand deleted.
- 3.0 The time allowed for completion of the work will be as shown in the NIT against the work. The date of commencement will be counted from the 10th day of issue of work order in accordance with the phasing, if any, indicated in the tender documents.
- 4.0 The site for the work shall be made available within 1 (one) day after the date of issue of work order.
- 5.0 Receipt of applications for issue of Tender Document will be stopped by 14:00 hours on 02.08.2017 and Tender document will be issued up to 15:00 hours of 02.08.2018
- 6.0 Tender documents consisting of plans, specifications, the schedule of quantities of the various classes of work to be done and the set of terms & conditions of contract to be complied with by the contractor whose tender may be accepted and other necessary documents can be seen in the office of the Executive Engineer, Guwahati Division, Brahmaputra Board, Guwahati, Assam, Pin-781029 between 11.00 hours to 16:00 hours every day from 26.07.2018 to 02.08.2018 except on 2nd Saturdays, Sundays and public holidays. Tender documents, excluding standard form, will be issued from his office, during the office hours specified above, on payment of cost of tender paper as mentioned in the NIT in the form of IPO/Demand Draft drawn in favour of the Financial Adviser, Brahmaputra Board, Basistha, Guwahati-29 and payable at Guwahati.
- 7.0 Tender shall be accompanied with earnest money as shown in the NIT in the form of Deposit at Call Receipt of a Schedule Bank guaranteed by the Reserve Bank of India/ Banker's Cheque of a Schedule Bank / Fixed Deposit Receipt (FDR) of a Scheduled Bank issued in favour of the Executive Engineer, Guwahati Division, Brahmaputra Board, Guwahati, Assam
- 8.0 The tenderer should produce the copies of registration certificate, PAN card and GST registration certificate at the time of submission of tender document. Sealed tender document will be received in the office of the undersigned up to 1500 hrs of 04-08-2018 and will be opened on the same day at same place at 1530 hrs in presence bidder or their authorized agent.

9.0 The description of the work is as per the schedule enclosed for different group of work.

Details are as below:

Location	Quantity of Work
Work site is located at Brahmaputra Board Head Quarter Complex Basistha, Guwahati-29	The quantity and various items of work to be executed are as per Schedule enclosed group wise

Copies of other drawings and documents pertaining to the works will be open for inspection by the Bidders at the office of the above mentioned officer.

Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A Bidder shall be deemed to have full knowledge of the site whether he inspect it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The Bidder shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a Bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plants, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.

10.0 The competent authority on behalf of the Chairman, Brahmaputra Board does not bind him to accept the lowest or any other tender and reserves to himself the authority to reject any or all the tenders received without assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the Bidder shall be summarily rejected.

11.0 Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.

12.0 The competent authority on behalf of the Chairman, Brahmaputra Board reserves to himself the right of accepting the whole or any part of the tender and the Bidder shall be bound to perform the same at the rate quoted.

13.0 The contractor shall not be permitted to tender for works in which his near relative is posted as Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive) in Brahmaputra Board. He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any Gazetted Officer in the Brahmaputra Board or in the Ministry of Water Resources. Any breach of this condition by the contractor would render him liable to be rejected.


14.0 No Engineer of Gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the previous permission of the Government of India in writing. The contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the

permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

- 15.0 The tender for the work shall remain open for acceptance for a period of 90 (ninety) days from the date of opening of tenders. If any Bidder withdraws his tender before the said period or before issue letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the Department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the Bidder shall not be allowed to participate in the re-tendering process of the work.
- 16.0 This Notice Inviting Tender shall form a part of the contract document. The successful Bidder / contractor, on acceptance of his tender by the accepting authority, shall, within 2 days from the date of issue of work order, sign the contract agreement consisting of:-
- a. The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forms the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
 - b. Standard CPWD Form-7/8.
- 17.0 (a) Rate quoted should include all types of taxes as applicable and necessary taxes will be deducted from the bill at the time of payment.
- (b) All rates should be quoted in figures as well as in words. In case of discrepancy in the rate quoted by the contractor in words & figures, the rate quoted in words will be considered as the correct rate.
18. Award Criteria

The employer reserves the right, without being liable for any damages or obligation to inform the bidder to.

- a) Amend the scope and value of contract of the bidder,
- b) Reject any or all the applications without assigning any reason thereof.
- c) Any effort on the part of the bidder or his agent to exercise influence or to pressurize the employer would result in rejection of his bid. Canvassing of any kind is prohibited.


Executive Engineer,
Guwahati Division

ADDITIONAL TERMS & CONDITIONS:

- 1) All items in schedule of quantity are consolidated items of works inclusive of all consumable material cost, labours, tools, software, hardware & equipments etc. All rate quoted by the contractor will be inclusive of labour, all consumable material cost, tools & equipments, accommodation including all taxes etc.
- 2) If situation demands, the printed challans in a book form with numbering will be arranged by the contractor for transport of materials necessary for the work from the stack yard to the actual place of utilization as per direction of the Engineer in Charge.
- 3) There is likelihood that some other works may also be under execution simultaneously by other agencies in the adjoining area. The contractor shall carry out the works without causing any hindrance/ disruption to such works.
- 4) The contractor shall intimate the Engineer-In-Charge (EIC) about the number of labourers and number & type of equipments engaged daily for execution of the work. Two registers will be maintained by him/her for this purpose. He/ She shall arrange the labourers in such a way so as to complete the works within the stipulated time.
- 5) The contractor is solely responsible for watch and ward of the machineries/equipments etc. necessary for the work till completion. For any loss, theft or damage of machineries / equipments under custody during the course of execution of the work, the contractor will be fully responsible.
- 6) The contractor shall draw the materials from the departmental store / stockyard being fully satisfied regarding the specifications and quantity of materials failing which no claim in any shape shall be entertained. Departmental materials shall be issued to the contractor depending upon the availability in the Departmental store. The contractor shall remain responsible for the proper storage and safe custody of such materials received from the department.
- 7) Engineer-in-charge or his/her authorized representative shall check the quality of the works from time to time. Observations regarding defects communicated by him/her, if any, will be rectified by the contractor for which no extra claim shall be entertained in any shape.
- 8) In case situation demands, the EIC has the right to review the situation. In case it is not possible to execute the works, necessary instructions will be issued by the Department to temporarily/ permanently close the works, which will be binding on the contractor and no claim whatsoever for sudden suspension/ closure of works will be admissible.
- 9) All materials brought to the site must be subject to approval of the Engineer in Charge or his authorized representative. Rejected materials must be removed by the contractor at his/her own cost from the site within 24 hours of the issue of order to that effect. In case of non-compliance with such orders, the Engineer in Charge (EIC) shall have the authority to cause such removal at the cost and expenses of the contractor and the contractor shall not be entitled to any loss or damage on this account.
- 10) The Department shall deduct Labour Welfare Cess, Income Tax, GST and or any other prevailing tax as per norms at the time of releasing payment of interim bills/ final bill.
- 11) When the annual repairs and maintenance of works are carried out the splashed and droppings from white washing colour washing painting etc. on walls floor, windows, etc. shall be removed and the surface cleaned simultaneously with the completion of these items of work in the individual rooms, quarters or premises etc. where the work is done without waiting for the actual completion of all the other items of work in the contract. In case the contractor fails to comply with the requirements of this clause, the Engineer-in-charge shall have the right to get this work done at the cost of the contractor either departmentally or through any other agency. Before taking such action, the Engineer-in-charge shall give ten days notice in writing to the contractor.

12) The contractor shall treat all materials obtained during dismantling of a structure, excavation of the site for a work etc as Government's property and such materials shall be disposed off to the best advantage of Government according to the instructions in writing issued by the Engineer-in-charge.

13) If the contractor or his working people or servants shall break, deface, injure or destroy any part of building in which they may be working, or any building, road kerb, fence, enclosure, water pipe, cables, drains, electric or telephone post or wires trees, grass or grassland, or cultivated ground contiguous to the premises on which the work or any part is being executed, or any damage shall happen to the work while in progress, from any cause whatever or if any defect, shrinkage or other faults appear in the work within twelve months (six months in the case of work costing Rs. Ten lacs and below except road work) after a certificate final or otherwise of its completion shall have been given by the Engineer-in-charge as aforesaid arising out of defect or improper materials or workmanship the contractor shall upon receipt of a notice in writing on that behalf make the same good at his own expenses or in default the Engineer-in-charge cause the same to be made good by other workmen and deduct the expenses from any sums that may be due or at any time thereafter may become due to the contractor, or from security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The security deposit of the contractor shall not be refunded before the expiry of twelve months (six months in the case of work costing Rs. Ten lacs and below except road work) after the issue of the certificate final or otherwise, of completion of work, or till the final bill has been prepared and passed whichever is later provided that in the case of road work, if in the option of the Engineer-in-charge, half of the security deposit is sufficient, to meet all liabilities of the contractor under this contract, half of the security deposit will be refundable after six months and the remaining half after twelve months of the issue of the said certificate of completion or till the final bill has been prepared and passed whichever is later.

In case of Maintenance and Operation works of E&M services, the security deposit deducted from contractors shall be refunded within one month from the date of final payment or within one month from the date of completion of the maintenance contract whichever is earlier.

14) Accident :

- (i) It shall be the responsibility of the contractor to protect against accidents on the works and the workmen engaged by him/her in the works. He / She shall indemnify the Department against any claim for damage or for any injury to persons or property resulting from and in the course of works and also under the provision of the Workman's Compensation Act.
- (ii) On the occurrence of an accident arising out of the work which results in death or which is so serious as to be likely to result in death, the contractor shall within 24 (twenty four) hours of such accident, report in writing, to the Engineer-in-Charge and District Labour Officer stating the facts clearly and in sufficient the circumstances of such accident and the subsequent action. All other accidents on the works involving injuries to persons or damage to property other than that of contractor shall be promptly reported to the Engineer-in-Charge and the District Labour Officer stating clearly and in sufficient details the facts and circumstances of the accidents and the action taken.
- (iii) In all cases, the contractor shall indemnify the Department against the contractor's failure to report in the matter aforesaid. This includes penalties or fines, if any, payable by the Govt. as a consequence of failure to give notice under the Workmen's Compensation Act or failure to conform to the provisions of the said Act in regard to such accidents. In the event of an accident in respect of which compensation may become payable under the Workman's Compensation Act-VIII of 1923 including all modifications thereof whether such compensation may become payable by the contractor, the Engineer-in-Charge may retain payment due to the contractor such sum or sums of moneys as may in the opinion of the Engineer-in-Charge be

sufficient to meet such liabilities. On receipt of award from the Labour Commissioner in respect of quantum of compensation, the difference of amount shall be adjusted.

15. SUPERVISION, INSPECTION OF WORKS AND QUALITY CONTROL

- (iv) The contractor shall either himself/herself supervise the execution of the works or shall appoint the competent Engineer approved by the EIC, to act on his/her behalf. If in the opinion of the EIC, the contractor has himself/herself no sufficient knowledge and experience to receive instructions or cannot give full attention to the works or fails to appoint a suitable qualified Engineer, the EIC will suspend the work till a suitable agent/Engineer is appointed and contractor will not get any compensation for this.

Inspection of works

- (v) The contractor shall inform the EIC in writing when any portion of the work is ready for inspection giving him/her sufficient notice to enable him/her to inspect the same without effecting the further progress of the work. The work shall not be considered to have been completed in accordance to the terms of the contract until the EIC have certified in writing to that effect. Approval of materials of workmanship or approval of part of the work during the progress of execution shall not bind the EIC or in any way affect him/her even to reject the work which is alleged to be completed and suspend the issue of his certificate of completion until such alterations and modifications or reconstruction's have been affected the cost of the contractor as shall enable him/her to certify that the work has been completed to his/her satisfactions. The contractor shall provide at his/her own cost necessary ladder/ boat and such arrangement as to provide necessary facilities and assistance for proper inspection of all parts of the works at his / her own cost.

Quality assurance

- (vi) All materials to be used on the work shall be got approved in advance from the EIC and shall pass the test or analysis required by him/her which will be:
- As specified in the specification for the items.
 - ISI specification for the items.
 - Such recognized specification acceptable to EIC as equivalent thereto or in absence of such authorized specification such requirement test and /or analysis may be specified by the EIC in order of precedence given above.
 - The contractor shall at his/her risk and cost make all arrangement / or shall provide for all such facilities as the EIC may require for collecting, preparing required number of samples for test or analysis at such time and to such places as may be directed by EIC and their all such charges. Such samples shall also be deposited with the EIC.
 - The contractor shall, if any when required, submit at his/her cost the samples of the materials to be tested or analyzed or if so directed, shall not make use of incorporate in the works any material to be represented by the samples until the required test/ analysis have been made and the materials finally accepted by the EIC.
 - The contractor shall not be eligible for any claim or compensation either arising out any delay in the work or due to any corrective measure required to be taken on account of and as a result of testing of the materials.
 - In case of materials procured by the contractor, testing as required by the codes and specification shall be arranged by he /she at his/her own cost. Testing shall be done in presence of authorized representative of EIC at the nearest approved laboratory.


Executive Engineer
Guwahati Division

Name of Work :- Repairing, painting and colour washing of existing Security Restroom at Headquarters of Brahmaputra Board, Basistha, Guwahati - 29.

Schedule of works

Group NO 1

Sl. No	Particular of works	Unit	Qty	Rate quoted	
				Rate in figure	Rate in words
1	Demolishing CC floor of various thickness including top layer and base course and disposal of debris as directed for all levels.	Sqm	1.854	₹.....	(Rupees.....) only
2	Dismantling all types of corrugated/trapezoidal sheet roofing including ridges, hips, valleys and gutters etc. and stacking the materials as directed by the department for all levels.	Sqm	40.37	₹.....	(Rupees.....) only
3	Dismantling wood work in frames, trusses, purlines and rafters including stacking the materials as directed by the department for all levels.	Cum	0.131	₹.....	(Rupees.....) only
4	Providing undressed wood work in in roof, truss, rafter, purline, tie and the like including hosting and fixing in position with necessary spikes, nails including M.S straps with bolt and nuts etc. complete with kiricide oiling two coats to all timber members and two coats of anticorrosive paints to M.S. straps (M.S. flats, angle cleats, and bolt and nuts required for flat and angle cleats wherever used shall be measured and paid separately) c) with 2nd class treated timber	Cum	0.131	₹.....	(Rupees.....) only
5	Supply of TATA/SAIL Corrugated roofing sheet (Standard) (0.63 mm thick x 800 mm wide x 3000 mm length)	MT	0.3445	Not to be filled up	Not to be filled up
6	Labour for fitting and fixing galvanised corrugated iron roofing including supplying and fixing with new galvanised screws, J. hook, bolts nuts, washer etc. complete as directed.	Sqm	41.25	₹.....	(Rupees.....) only
7	Providing galvanised iron ridging of TATA SHAKTEE /SAIL including supplying and fixing necessary galvanised screws /washers etc. complete as directed. (a) 0.45 mm thick (i) 150 mm lapping.	Rm	5.00	₹.....	(Rupees.....) only
8	Renewing vitreous china pedestal type water closet (European type WC pan 400 mm high) with seat and lead, CP brass hinges and rubber buffers CI/MS brackets, 40 mm dia flush band with fittings including painting of fittings and brackets, required. (Flushing Cistern to be paid separately) A) Parryware make a) White vi) Elite P trap (Cat No C 0278) (inclusive of seat cover)	Each	1	₹.....	(Rupees.....) only

Sl. No	Particular of works	Unit	Qty	Rate quoted	
				Rate in figure	Rate in words
9	40mm thick cement concrete floor consisting of 25mm under layer of cement concrete in prop. 1:3:6 (1cement : 3 coarse sand : 6 coarse aggregate of 12.5mm and down) and 15mm thick wearing layer in cement concrete in prop. 1:1:2 (1cement : 1 coarse sand:2 coarse aggregate of size 10mm down) finished with a floating coat of neat cement finish using cement slurry for bond @ 2.75 kg per square metre of floor area. wearing layer is to be laid in panels including curing etc. complete as directed.	Sqm	1.854	₹.....	(Rupees.....) only
10	(a) Removing dry or oil bound distemper by washing and scraping and sand papering the wall surface smooth including necessary repairs to scratches complete.	Sqm	52.1856	₹.....	(Rupees.....) only
11	a) Colour washing with lime on wall surface (two coats) over and including a priming coat of white washing to give an even shade after thoroughly brooming the surface to remove all dirt, dust, mortar drops and other foreign matter.	Sqm	58.23	₹.....	(Rupees.....) only
12	b) Extra over item no 11 above for every subsequent coat of colour wash with lime on wall surface.	Sqm	58.23	₹.....	(Rupees.....) only
13	c) Finishing wall with water proofing cement paint of approved brand and manufacture and of required shade on old wall surface (one coat) to give an even shade after thoroughly brooming the surfaces to remove all dirt and remains of loose powdered materials.	Sqm	45.42	₹.....	(Rupees.....) only
14	Extra over item no 13 above for every subsequent coat of water proofing cement paint approved brand and manufactured	Sqm	45.42	₹.....	(Rupees.....) only
15	Painting one coat (excluding priming coat) on old wood and wood based surface with enamel paint of approved brand and manufacture (Asian paint/ Berger paint/ICI paint/ J&N paint/ Nerolac) to give an even shade including cleaning the surfaces of all dirt, dust and other foreign matter sand papering and stopping. 1) Surfaces over 100 mm in width or girt. a) General purpose Asian paint/ Berger paint/ ICI paint/ J&N paint/ Nerolac)	Sqm	27.50	₹.....	(Rupees.....) only
16	Applying primary coat over new steel and other metal surface over 100mm in width or girth after preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter and scoured with wire brushes, fine steels, wood scrapers and sand paper. a) With ready mixed "red-lead/red oxide" primer.	Sqm	40.37	₹.....	(Rupees.....) only

Sl. No	Particular of works	Unit	Qntty	Rate quoted	
				Rate in figure	Rate in words
17	Painting two coats on new G.C.I sheets with ready mixed anticorrosive paint of appropriate brand and shade suitable for painting over G.C.I sheets to gie an even shade including the cleaning the rust patches with emery paper,dust,dirt,grease and other foreign matter with water complete.	Sqm	40.365	₹.....	(Rupees.....) only
18	Renewing PVC flushing cistern with all internal fittings with CI brackets including fitting and fixing standard size CP flush pipe, union clamps etc. complete as directed and specified (pipe will be measured sepaeately) 1) Parryware make a) White (i) Economy Single Flush (Cat. No C 8090/C8085)	Each	1	₹.....	(Rupees.....) only
19	Supplying, fitting and fixing PVC pipes of 6 Kg/sq. cm (Supreme/Prince) or other ISI approved including joining, fitting and fixing with clamps etc. as necessary complete at all levels including below G.L. as directed and specified a) In exposed surfaces or in trenches. (ii) 110 mm dia.	Each	4	₹.....	(Rupees.....) only
20	Supplying, fitting and fixing 87.5 degree PVC bend of (Supreme/Prince) or other ISI approved including joining, fitting and fixing etc. as necessary complete at all levels including below G.L. as directed and specified a) In exposed surfaces or in trenches. (ii) 110 mm dia.	Each	3	₹.....	(Rupees.....) only
21	Supplying, fitting and fixing 87.5 degree PVC bend with door of (Supreme/Prince) or other ISI approved including joining, fitting and fixing etc. as necessary complete at all levels including below G.L. as directed and specified a) In exposed surfaces or in trenches. (ii) 110 mm dia.	Each	2	₹.....	(Rupees.....) only
22	Supplying, fitting and fixing PVC socket plug of (Supreme/Prince) or other ISI approved including joining, fitting and fixing etc. in exposed surfaces or in trenches as necessary complete at all levels including below G.L. as directed and specified (a) 110 mm	Each	3	₹.....	(Rupees.....) only
23	Supplying fitting and fixing chrome plated (CP) stop cock of approved brand and size as mentioned below as directed and specified. (G.I. & C.P. pipes will be measured and paid separately) (V) Essco brand (a) Stop cock 15 mm dia male/female end	Each	1	₹.....	(Rupees.....) only
24	Supplying fitting and fixing chrome plated (CP) bib cock 15 mm dia of approved brand as directed and specified. (G.I. & C.P. pipes will be measured and paid separately) (I) Essco make (Delux/Sumthing spl./Tropical (a) Bib cock short body	Each	1	₹.....	(Rupees.....) only

Sl. No	Particular of works	Unit	Qty	Rate quoted	
				Rate in figure	Rate in words
25	Transportation of TATA/SAIL Corrugated roofing sheet (Standard) (0.63 mm thick x 800 mm wide x 3000 mm length) from Rangia under Nalbari Division to Basistha, Guwahati-29. Including loading & unloading with stacking at store as directed	Job	1	₹.....	(Rupees..... only)
26	Supplying, fitting, fixing anodised aluminium fittings of approved make, reasonably smooth, free from sharp edges and corners, flaws and other defects and with counter sunk holes for screws including necessary aluminium screws etc. complete. (anodised to bright natural matt & satin finished)				
	a) Sliding door bolt ii) 250mm x 16mm	Each	2	₹.....	(Rupees..... only)
	b) Tower bolts iii) 200mm x 12mm	Each	2	₹.....	(Rupees..... only)

Signature of the contractor

Address.....

.....
.....

Schedule of Work

Name of Work :-Repairing, painting and colour washing of departmental Quarter Type - III/2 at Headquarters of Brahmaputra Board complex, Basistha, Guwahati - 29.

Item No	Details of item	Unit	Qntty	Rate Quoted	
				Rate in figure(Rs.)	Rate in words (Rs.)
1	Dismantling and removing the existing door and window frame (chowkath) both wooden and steel of different sizes without damaging the walls and removing the frame and necessary repairs to the edges of the walls as directed for all levels. (i) Area of door/window up to 3.00 sqm	No	2	Rs.....	Rupees.....
2	Demolishing CC floor of various thickness including top layer and base course and disposal of debris as directed for all levels.	Sqm	5.54	Rs.....	Rupees.....
3	25 mm thick cement concrete topping 1:2:4 (1cement :2coarse sand:4coarse aggregate of 12 mm nominal size) finished with a floating coat of neat cement finished to be laid in panels including curing complete as directed.	Sqm	1.74	Rs.....	Rupees.....
4	Plain cement concrete floor based in prop 1:3:6 laid in alternate bays as specified with coarse agg. Of size 13 mm to 32 mm including dewatering if necessary, and curing etc. complete. (b) 50 mm thick	Sqm	3.80	Rs.....	Rupees.....
5	1st class brick nogged wall in cement mortar including racking out joints and curing complete as directed in super structure above plinth up to 1st floor level (protruding M.S rod/ T or steel of column to be embedded in cement mortar and will be measured and paid separately) (A) 112 mm thick brick wall a) In cement mortar in prop. 1:4 (1 cement : 4 sand)	Sqm	1.85	Rs.....	Rupees.....
6	Providing wood work in frame (chowkaths) of doors, windows, clerestory windows and other similar works wrought, framed and fixed in position in contact with C.C or brick masonry wall including supplying, fitting and fixing with M.S. hold fast (40mmx3mmx250mm) as per design embeded in cement concrete block in proportion 1:2:4 and with two coats of kiricide oiling to the timber faces in contact with C.C and masonry as directed and specified. (b) With 1st class timber (Bonsum/ Sundi)	Cum	0.03075	Rs.....	Rupees.....

No	Details of item	Unit	Qntty	Rate in figure(Rs.)	Rate in words (Rs.)
7	Providing dressed wood work in post, walls, battens, post plates bressumers etc. including supplying and fixing with spikes, nails, bolt and nuts of 12 mm dia (M.S.) and required length etc. complete with kiricide oiling two coats to face in contact with c.c. or masonry (M.S. flates, angle cleats and bolt and nut required for flates, angle cleats wherever use shall be measured and separately) (e) With 2nd class treated timber	Cum	0.05813	Rs.....	Rupees.....
8	Providing fitting and fixing 1st class local wood battened and framed door and window shutters including oxidised iron butt hinges (100 mm x 58 mm x 1.90 mm) 6 nos with necessary screws.(b)Using Gamai wood	Sqm	1.71	Rs.....	Rupees.....
9	Demolishing the plastering from walls/ R.C.C. and P.C.C. members without causing any damage to the wall/ member upto any height including disposal of debris as directed for all levels.	Cum	0.032	Rs.....	Rupees.....
10	10 mm thick Cement plaster in single coat on fair side of brick/concrete walls for interior plastering up to 1st floor level including arises or rounded angles not exceeding 80mm girth and finished even and smooth including curing complete as directed. a) In cement mortar 1:4	Sqm	6.94	Rs.....	Rupees.....
11	Providing two coats of Birla White Wall Care Putty (Water Resistance White Cement based putty for concrete mortar walls and ceiling both internal and external) after removing all loosely adhering material from the wall surface with the help of emery stone, putty blade or wire brush and moistening the wall with sufficient quantity of clean water as specified and directed by the department (Total thickness of two coats is maximum 1.5mm) (i) Thickness = 1.0 mm thick	Sqm	14.92	Rs.....	Rupees.....
12	n). Distemping with dry distemper of approved brand and manufacture(one coat) and of required shade on old wall surface to give an even shade,after thoroughly brushing the surface clean of all grease, dirt, loose pieces of scales including preparing surface even and sand papered smooth.	Sqm	320.25	Rs.....	Rupees.....
13). Extra over item no (f), (g) and (h) above for distemping every subsequent coat of distemping with dry distemper of approved brand and manufacture.	Sqm	320.25	Rs.....	Rupees.....

No	Details of item	Unit	Qntty	Rate in figure(Rs.)	Rate in words (Rs.)
14	Painting one coat (excluding priming coat) on previously painted steel and other metal surface with enamel paint of approved brand and manufacture(Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) to give an even shade including cleaning the surface of all dirt, dust and other foreign matter. (i).Surfaces over 100mm in width or girth. a). General purpose (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac).	Sqm	29.91	Rs.....	Rupees.....
15	Painting one coat (excluding priming coat) on old wood and wood based surfaces with enamel paint to give an even shade including cleaning the surface of all dirt, dust and other foreign matter sand papering and stopping. (i).Surfaces over 100mm in width or girth a). General purpose (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac).	Sqm	221.26	Rs.....	Rupees.....
16	Wall painting (one coat) with acrylic emulsion paint approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) on old wall surfaces to give an even shade after thoroughly brushing the surfaces free from mortar droppings and other foreign matter sand papered smooth. (a) Acrylic Emulsion paint approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac)	Sqm	23.06	Rs.....	Rupees.....
17	c) Finishing wall with water proofing cement paint of approved brand and manufacture and of required shade on old wall surface (one coat) to give an even shade after thoroughly brooming the surfaces to remove all dirt and remains of loose or softened paint	Sqm	23.27	Rs.....	Rupees.....
18	Providing fitting and fixing stainless steel kitchen sink of Parryware make with CI / MS brackets, CP brass chain with rubber plug, PVC waste pipe etc. complete including painting the fittings, cutting and making good the walls wherever required. (sink cock, stop cocs, waste coupling are to be paid separately.(A) Parryware Make (vi) Single Bowl (160 x 180) Flat Edge - Glossy (Cat No C 8538)	Sqm	1	Rs.....	Rupees.....
19	Providing fitting and fixing mirror with plastic frame of size 500 x 400 mm complete as directed and specified	Each	1	Rs.....	Rupees.....
20	Supplying and fitting, fixing chrome plated (C.P) pillar cock of 15 mm dia of approved brand as specified and directed. (IV) ii) Pillar cock long neck Cat No 7005	Each	1	Rs.....	Rupees.....

No	Details of item	Unit	Qntty	Rate in figure(Rs.)	Rate in words (Rs.)
21	Supplying, fitting and fixing chrome plated (C..P) stop cock of approved brand and sixe as mentioned below as directed and specified (G.I. & C.P. pipes will be measured and paid separately)(IV) Sona brand (b) 15 mm dia Concealed stop cock	Each	2	Rs.....	Rupees.....
22	Supplying, fitting and fixing chrome plated (C..P) bib cock of approved brand as directed and specified (G.I. & C.P. pipes will be measured and paid separately) (I) Essco make (Delux/Sumthing spl./Tropical) (a) Bib cock short body	Each	3	Rs.....	Rupees.....
23	Providing fitting and fixing towel rail of sona make complete as specified and directed (b) Sona Make (I) Towel rail Diplomat 300 mm long (Cat No TR- 0605)	Each	1	Rs.....	Rupees.....
24	Supplying, fitting and fixing overhead adjustable crome plated (C.P.) spray shower 15 mm dia. of Sona Make with wall flange as directed and specified (pipe will be measured and paid sepaeately) (a) Supreme shower with arm	Each	1	Rs.....	Rupees.....
25	Supplying, fitting and fixing of C. I. Grating (a) 110 mm dia.	Each	2	Rs.....	Rupees.....
26	Supplying, fitting, fixing anodised aluminium fittings of approved make, resonably smooth, free from sharp edges and corners, flaws and other defects and with counter sunk holes for screws including necessary aluminium screws etc. complete.(anodised to bright natural matt & satin finished)			Rs.....	
	a) Sliding door bolt ii) 250mm x 16mm	Each	2	Rs.....	Rupees.....
	b) Tower bolts iii) 200mm x 12mm	Each	3	Rs.....	Rupees.....
	d) Door handles ii) 100mm	Each	3	Rs.....	Rupees.....
27	Providing and fixing clear sheet glass beaded in putty and fixed with/without wooden beading including cutting of glass to required sizes (Payment for wooden beads shall be made separetly) (2) Area of glass panes exceeding 0.15sq.m but not exceeding 0.52 sqm (a) 4.00mm thick.	Sqm	0.298	Rs.....	Rupees.....

No	Details of item	Unit	Qty	Rate in figure(Rs.)	Rate in words (Rs.)
28	Providing fly proof M.S. wire netting of I.S. designation 85 with wire of dia. of 0.05 mm over hollock or other wood dressed frame including 1st class timber beading of 38mm x 12 mm size chamfered including fitting, fixing with necessary wood screws etc. complete as directed (timber frame to be measured and paid separately)	Sqm	23.15	Rs.....	Rupees.....
29	Dismantling all types of corrugated / trapezoidal sheet roofing including ridges, hips, valleys and gutters etc. and stacking the materials as directed by the department for all levels.	Sq.m	15.60	Rs.....	Rupees.....
30	Supply of TATA/SAIL Corrugated roofing sheet (Standard) (0.63 mm thick x 800 mm wide x 3000 mm length)	MT	0.107	Not to be filled	Not to be filled
31	Labour for fitting and fixing galvanised corrugated iron roofing including supplying and fixing with new galvanised screws, J. hook, bolts nuts, washer etc. complete as directed.	Sqm	15.60	Rs.....	Rupees.....
32	Transportation of TATA/SAIL Corrugated roofing sheet (Standard) (0.63 mm thick x 800 mm wide x 3000 mm length) from Nalbari Division to H. Q. Complex, B. B, Basistha, Guwahati-29. including loading & unloading with stacking at store complete as directed	Job	1	Rate not required	Rate not required
33	Supplying, fitting and fixing automatic flushing cistern with all internal fittings with CI brackets including fitting and fixing standard size CP flush pipe, union clamps etc. complete as directed and specified (pipe will be measured separately)(ii) Hindware make a) White Auto Cistern 10 litre (Cat No C 61002)	Each	2	Rs.....	Rupees.....
34	Providing barge board of size 200 mm x 20 mm with 1st class local Hollock / Bonsum timber including fitting and fixing with necessary wood screws etc. complete.	Rm	15.00	Rs.....	Rupees.....

Signature of Contractor
Name of Contractor
Addre .



SCHEDULE OF WORK

Name of work : Repairing, painting and colour washing of departmental Quarter Type - V/4 at Headquarters of Brahmputra Board complex, Basistha, Guwahati - 29.

Item No	Details of item	Unit	Qntty	Rate Quoted	
				Rate in figure	Rate in Words.
1	Demolishing CC floor of various thickness including top layer and base course and disposal of debris as directed for all levels.	Sqm	1.20	Rs.....	(Rupees.....)
2	Demolishing the plastering from walls/ R.C.C. and P.C.C. members without causing any damage to the wall/ member upto any height including disposal of debris as directed for all levels.	Cum	0.036	Rs.....	(Rupees.....)
3	Dismantling all types of corrugated / trapezoidal sheet roofing including ridges, hips, valleys and gutters etc. and stacking the materials as directed by the department for all levels	Sqm	4.50	Rs.....	(Rupees.....)
4	Providing galvanised iron ridging of TATA SHAKTEE /SAIL including supplying and fixing necessary galvanised screws /washers etc.complete as directed. (b) 0.50 mm thick (ii) 230 mm lapping.	Rm	9.00	Rs.....	(Rupees.....)
5	25 mm thick cement concrete topping 1:2:4 (1cement :2coarse sand:4coarse aggregate of 12 mm nominal size) finished with a floating coat of neat cement finished to be laid in panels including curing complete as directed.	Sqm	1.20	Rs.....	(Rupees.....)
6	Providing, fitting and fixing 24mm/29mm thick Polymer reinforced moulded PVC door shutters fixed to the chowkath with necessary hinges, screws, bolts etc as specified and directed at all levels (Door fixtures and fittings to be measured and paid separately)(a) 29 mm thick	Sq.m	1.30	Rs.....	(Rupees.....)
7	10 mm thick Cement plaster in single coat on fair side of brick/concrete walls for interior plastering up to 1st floor level including arises or rounded angles not exceeding 80mm girth and finished even and smooth including curing complete as directed. a) In cement mortar 1:4	Sqm	3.61	Rs.....	(Rupees.....)
8	Providing two coats of Birla White Wall Care Putty (Water Resistance White Cement based putty for concrete mortar walls and ceiling both internal and external) after removing all loosely adhering material from the wall surface with the help of emery stone, putty blade or wire brush and moistening the wall with sufficient quantity of clean water as specified and directed by the department (Total thickness of two coats is maximum 1.5mm) (i) Thickness = 1.0 mm thick	Sqm	3.61	Rs.....	(Rupees.....)

Item No	Details of item	Unit	Qty	Rate in figure	Rate in Words.
9	h). Distempering with dry distemper of approved brand and manufacture(one coat) and of required shade on old wall surface to give an even shade,after thoroughly brushing the surface clean of all grease, dirt, loose pieces of scales including preparing surface even and sand papered smooth.	Sqm	203.31	Rs.....	(Rupees.....)
10	i). Extra over item no (f), (g) and (h) above for distempering every subsequent coat of distempering with dry distemper of approved brand and manufacture.	Sqm	203.31	Rs.....	(Rupees.....)
11	Painting one coat (excluding priming coat) on old wood and wood based surfaces with enamel paint to give an even shade including cleaning the surface of all dirt, dust and other foreign matter sand papering and stopping. (i).Surfaces over 100mm in width or girth a). General purpose (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac).	Sqm	38.87	Rs.....	(Rupees.....)
12	Painting one coat (excluding priming coat) on previously painted steel and other metal surface with enamel paint of approved brand and manufacture(Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) to give an even shade including cleaning the surface of all dirt, dust and other foreign matter. (i).Surfaces over 100mm in width or girth. a). General purpose (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac).	Sqm	14.20	Rs.....	(Rupees.....)
13	Wall painting (one coat) with acrylic emulsion paint approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) on old wall surfaces to give an even shade after thoroughly brushing the surfaces free from mortar droppings and other foreign matter sand papered smooth. (a) Acrylic Emulsion paint approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac)	Sqm	19.55	Rs.....	(Rupees.....)
14	Providing fitting and fixing mirror with plastic frame of size 500 x 400 mm complete as directed and specified	Each	1	Rs.....	(Rupees.....)
15	Supplying and fitting, fixing chrome plated (C.P) pillar cock of 15 mm dia of approved brand as specified and directed. (IV) ii) Pillar cock long neck Cat No 7005	Each	1	Rs.....	(Rupees.....)
16	Supplying, fitting and fixing chrome plated (C..P) stop cock of approved brand and size as mentioned below as directed and specified (G.I. & C.P. pipes will be measured and paid separately)(IV) Sona brand (b) 15 mm dia Concealed stop cock	Each	1	Rs.....	(Rupees.....)

Item No	Details of item	Unit	Qntty	Rate in figure	Rate in Words.
17	Supplying, fitting and fixing chrome plated (C.P) bib cock of approved brand as directed and specified (G.I. & C.P. pipes will be measured and paid separately) (I) Essco make (Delux/Sumthing spl./Tropical) (a) Bib cock short body	Each	1	Rs.....	(Rupees.....)
18	Providing fitting and fixing towel rail of sona make complete as specified and directed (b) Sona Make (i) Towel rail Diplomat 300 mm long (Cat No TR- 0605)	Each	1	Rs.....	(Rupees.....)
19	Supplying, fitting and fixing overhead adjustable chrome plated (C.P.) spray shower 15 mm dia. of Sona Make with wall flange as directed and specified (pipe will be measured and paid separately) (a) Supreme shower with arm	Each	1	Rs.....	(Rupees.....)
20	Supplying, fitting and fixing of C. I. Grating (a) 110 mm dia.	Each	1	Rs.....	(Rupees.....)
21	Supplying, fitting, fixing anodised aluminium fittings of approved make, reasonably smooth, free from sharp edges and corners, flaws and other defects and with counter sunk holes for screws including necessary aluminium screws etc. complete.(anodised to bright natural matt & satin finished)				
	a) Sliding door bolt ii) 250mm x 16mm	Each	1	Rs.....	(Rupees.....)
	b) Tower bolts iii) 200mm x 12mm	Each	1	Rs.....	(Rupees.....)
	d) Door handles ii) 100mm	Each	1	Rs.....	(Rupees.....)

Signature of contractor.
Adress :

SCHEDULE OF WORK

Name of work : Repairing, painting and colour washing of departmental Quarter Type - V/5 at Headquarters of Brahmaputra Board complex, Basistha, Guwahati - 29.

Item No	Details of item	Unit	Qntty	Rate Quoted	
				Rate In figure.	Rate in words.
1	Demolishing CC floor of various thickness including top layer and base course and disposal of debris as directed for all levels.	Sqm	2.32	Rs.....	(Rupees.....)
2	Demolishing the plastering from walls/ R.C.C. and P.C.C. members without causing any damage to the wall/ member upto any height including disposal of debris as directed for all levels.	Cum	0.058	Rs.....	(Rupees.....)
3	65 mm thick cement concrete floor consisting of 50 mm under layer of cement concrete in prop: 1:3:6 (1cement:3coarse sand:6 coarse aggregate of 25mm and down) and 15 mm thick wearing layer in cement concrete in prop 1:1:2 (1cement:1coarse sand:2 coarse aggregate of 10mm and down)laid in pannels and finished with a floating coat of neat cement finished (using cement slurry for bond @ of 2.75kg/sqm floor area) including curing etc. complete as directed.	Sq.m	2.32	Rs.....	(Rupees.....)
4	Providing, fitting and fixing 24mm/29mm thick Polymer reinforced moulded PVC door shutters fixed to the chowkath with necessary hinges, screws, bolts etc as specified and directed at all levels (Door fixtures and fittings to be measured and paid separately)(a) 29 mm thick	Sq.m	1.30	Rs.....	(Rupees.....)
5	10 mm thick Cement plaster in single coat on fair side of brick/concrete walls for interior plastering up to 1st floor level including arises or rounded angles not exceeding 80mm girth and finished even and smooth including curing complete as directed. a) In cement mortar 1:4	Sqm	5.80	Rs.....	(Rupees.....)
6	Providing two coats of Birla White Wall Care Putty (Water Resistance White Cement based putty for concrete mortar walls and ceiling both internal and external) after removing all loosely adhering material from the wall surface with the help of emery stone, putty blade or wire brush and moistening the wall with sufficient quantity of clean water as specified and directed by the department (Total thickness of two coats is maximum 1.5mm) (i) Thickness = 1.0 mm	Sqm	5.80	Rs.....	(Rupees.....)
7	h). Distempering with dry distemper of approved brand and manufacture(one coat) and of required shade on old wall surface to give an even shade,after thoroughly brushing the surface clean of all grease, dirt, loose pieces of scales including preparing surface even and sand papered smooth.	Sqm	203.31	Rs.....	(Rupees.....)

8	i). Extra over item no 7 above for distempering every subsequent coat of distempering with dry distemper of approved brand and manufacture.	Sqm	203.31	Rs.....	(Rupees.....)
9	Painting one coat (excluding priming coat) on old wood and wood based surfaces with enamel paint to give an even shade including cleaning the surface of all dirt, dust and other foreign matter sand papering and stopping. (i).Surfaces over 100mm in width or girth a). General purpose (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac).	Sqm	38.87	Rs.....	(Rupees.....)
10	Painting one coat (excluding priming coat) on previously painted steel and other metal surface with enamel paint of approved brand and manufacture(Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) to give an even shade including cleaning the surface of all dirt, dust and other foreign matter. (i).Surfaces over 100mm in width or girth. a). General purpose (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac)	Sqm	14.20	Rs.....	(Rupees.....)
11	Wall painting (one coat) with acrylic emulsion paint approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) on old wall surfaces to give an even shade after throughly brushing the surfaces free from mortar droppings and other foreign matter sand papered smooth. (a) Acrylic Emulsion paint approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac)	Sqm	19.55	Rs.....	(Rupees.....)
12	Providing fitting and fixing vitreous water closet squatting pan (Indian WC orissa pattern) with all fittings and fixtures complete including cutting and making good to the wall and floors wherever required (Flushing cistern to be paid separately) Indian type WC Orissa pattern of size 580 x 440 mm (a) white ii) Hindware make	Each	1	Rs.....	(Rupees.....)
13	Supplying, fitting and fixing automatic flushing cistern with all internal fittings with CI brackets including fitting and fixing standard size CP flush pipe, union clamps etc. complete as directed and specified (pipe will be measured sepaeately)(ii) Hindware make a) White Auto Cistern 10 litre (Cat No C 61002)	Each	1	Rs.....	(Rupees.....)
14	Supplying, fitting and fixing PVC pipes of 6 Kg/sq: cm (Supreme/Prince) or other ISI approved including joining, fitting and fixing with clamps etc. as necessary complete at all levels including below G.L. as directed and specified a) In exposed surfaces or in trenches. (ii) 110 mm dia	Each	1	Rs.....	(Rupees.....)
15	Providing fitting and fixing mirror with plastic frame of size 500 x 400 mm complete as directed and specified	Each	1	Rs.....	(Rupees.....)

16	Supplying and fitting, fixing chrome plated (C.P) pillar cock of 15 mm dia of approved brand as specified and directed. (IV) ii) Pillar cock long neck Cat No 7005	Each	1	Rs.....	(Rupees.....)
17	Supplying, fitting and fixing chrome plated (C.P) stop cock of approved brand and size as mentioned below as directed and specified (G.I. & C.P. pipes will be measured and paid separately)(IV) Sona brand (b) 15 mm dia Concealed stop cock	Each	1	Rs.....	(Rupees.....)
18	Supplying, fitting and fixing chrome plated (C.P) bib cock of approved brand as directed and specified (G.I. & C.P. pipes will be measured and paid separately) (I) Essco make (Delux/Sumthing spl./Tropical) (a) Bib cock short body	Each	2	Rs.....	(Rupees.....)
19	Providing fitting and fixing towel rail of sona make complete as specified and directed (b) Sona Make (i) Towel rail Diplomat 300 mm long (Cat No TR- 0605)	Each	1	Rs.....	(Rupees.....)
20	Supplying, fitting and fixing overhead adjustable chrome plated (C.P.) spray shower 15 mm dia. of Sona Make with wall flange as directed and specified (pipe will be measured and paid separately) (a) Supreme shower with arm	Each	1	Rs.....	(Rupees.....)
21	Supplying, fitting and fixing of C. I. Grating (a) 110 mm dia.	Each	1	Rs.....	(Rupees.....)
22	Supplying, fitting, fixing anodised aluminium fittings of approved make, reasonably smooth, free from sharp edges and corners, flaws and other defects and with counter sunk holes for screws including necessary aluminium screws etc. complete.(anodised to bright natural matt & satin finished)				
	a) Sliding door bolt ii) 250mm x 16mm	Each	1	Rs.....	(Rupees.....)
	b) Tower bolts iii) 200mm x 12mm	Each	2	Rs.....	(Rupees.....)
	d) Door handles ii) 100mm	Each	2	Rs.....	(Rupees.....)

Signature of Contractor.
Address :