



For Authorized use only

**GOVERNMENT OF INDIA
BRAHMAPUTRA BOARD
(MINISTRY OF WATER RESOURCES)
BASISTHA: GUWAHATI
PIN-781029**

TENDER DOCUMENT

Name of work: - Repairing of Type III -3 & 4 quarters at the Head Quarter
Complex, Brahmaputra Board, Basistha, Guwahati-29
(**Group-1**)

Issued to

Issued by

BRAHMAPUTRA BOARD
BASISTHA: GUWAHATI

GOVT. OF INDIA
MINISTRY OF WATER RESOURCES
OFFICE OF THE SUPERINTENDING ENGINEER: GUWAHATI CIRCLE
BRAHMAPUTRA BOARD: BASISTHA: GUWAHATI –29

No. BB/GC/ NIT/ 10-11/ 6

Dt 1.2.11

NOTICE INVITING TENDER

Separate sealed item rate Tenders in prescribed format in two envelope system are invited by the Superintending Engineer , Guwahati Circle, Brahmaputra Board, Basistha , Guwahati –29 from approved and eligible contractor of CPWD, Railways, P&T, MES and State PWD, Irrigation, Water Resources, PHE Departments for the following works.

Gr. No.	Name of work	Estimated Value in Rs.	Earnest Money in Rs.	Time of completion	Cost of Tender paper in Rs.	Location
1	2	3	4	5	6	7
1	Repairing of Type III-3 & 4 quarters at Head Quarter Complex. Brahmaputra Board.	1,01,767.00	2,100.00	45 Days	500.00	Brahmaputra Board, H.Q Complex, Ghy-29.
2	Repairing of Scooter garage at H.Q. Complex Brahmaputra Board.	1,37,000.00	2,800.00	45 Days	500.00	-Do-

The terms & conditions and detailed tender papers can be had from the office of the Superintending Engineer, Guwahati Circle, Brahmaputra Board, Basistha, Guwahati-29 from 7.2.11 on working days up to 3 - 00 pm of 17.2.11 on payment of cost of tender document as shown in **column- 6 of N.I.T** by means of cross I.P.O (Non – refundable) in favour of the Financial Adviser, Brahmaputra Board, Basistha, Guwahati-29. Details of the tender can also be seen at Brahmaputra Board's web site www.brahmaputraboard.gov.in / www.tender.gov.in. and office Notice Board.

Intending Bidders may download the tender directly from website. However, the bidders will have to deposit the cost of tender paper, in the same manner along with tender documents.

Tenders will be received up to 3.00 pm of 18.2.11 and will be opened on the same day at 3.30 pm. The Brahmaputra Board follows the CPWD procedures and the bidders are advised to get themselves acquainted with CPWD manual / procedures and CPWD Form-8. Earnest Money should be submitted in the shape of demand draft / banker's cheque / deposit at call receipt / fixed deposit receipt of a scheduled bank guaranteed by RBI.

Work shall be executed according to General Conditions of Contract for CPWD Form-8. The bidders may see the General Conditions of Contract for CPWD Form -8 in the office of the Superintending Engineer, Guwahati Circle, Brahmaputra Board during the office hours.

Superintending Engineer
Guwahati Circle

Memo No .BB/GC/NIT/10-11/ 6A

Dt 1.2.11

Copy to:-

1. The Chief Engineer (I&W), Brahmaputra Board, Basistha, Guwahati –29 for favour of kind information.
2. The Executive Engineer, Guwahati Division, Brahmaputra Board, Basistha, Guwahati-29 for information and wide circulation.
3. All Executive Engineer, under Guwahati Circle, Brahmaputra Board, for information and wide circulation.
4. The in-charge (I.T cell) Brahmaputra Board, Basistha Guwahati –29 for information and publication through Brahmaputra Board Web site.
5. Notice Board.

Superintending Engineer

TENDER DOCUMENT

Name of Work: Repairing of Type III-3 & 4 quarters at Head quarter Complex,
Brahmaputra Board, Basistha, Guwahati-29
(Group-1)

DETAILED TERMS AND CONDITIONS OF THE TENDER

1. PURCHASE OF TENDER DOCUMENT: The non-transferable tender documents can be obtained from the office of the Superintending Engineer, Guwahati Circle, Brahmaputra Board, Basistha, Guwahati-29 on payment of Rs 500.00 (Rupees Five hundred) only in the form of crossed I.P.O (non-refundable) drawn in favour of the Financial Adviser, Brahmaputra Board, Basistha, Guwahati-29. The bidders, who download the tender directly from website, will have to deposit the cost of tender paper in the same manners along with eligibility document of tender.

2. EARNEST MONEY: The Tender shall be submitted in sealed cover along with Earnest Money as per notification in the form of Demand draft / Banker cheque / Deposit at Call Receipt / Fixed deposit receipt drawn from any schedule Bank guaranteed by Reserve Bank of India payable at Guwahati in favour of the Superintending Engineer, Guwahati Circle, Brahmaputra Board, Basistha, Guwahati-29. The earnest money of the successful bidder will be retained and will form a part of the security deposit till completion of the work. The earnest money of the unsuccessful bidder will be return after finalization of the bid.

3. SECURITY DEPOSIT: The Security Deposit will be deducted from the bill of the bidder as per prescribed norms and the earnest money deposited at the time of submission of tender will form a part of the security deposit.

4. QUOTED RATES: The rates shall be quoted both the figure and the words inclusive of all taxes, duties, levies, service tax, forest royalty etc. as applicable as per schedule format of tender document. Overwriting shall be avoided and correction made if any, shall be signed by the bidder.

5. SITE CONDITION: Before submission of tender, the bidder may inspect the working site to fully acquaint himself/themselves about the condition of the site. No claim whatsoever on such account shall be entertained by the Department on any circumstances later on.

6. VALIDITY OF TENDER: The validity of the tender is **60(sixty)** days from the date of opening of tender(s).

7. TIME OF COMPLETION OF WORK: The period of completion of work shall be 45 (Forty five) days from the 10th day issue of formal work order.

8. TAX DEDUCTION: Necessary taxes like Income Tax, VAT, Service Tax, Duties, or any other taxes as applicable, will be deducted at source as admissible from the bill in due course of time.

9. SUBMISSION OF TENDER: The complete tender documents along with attested copies of valid Registration Certificate , PAN card, VAT clearance Certificate, I.P.O. for cost of tender paper, Earnest Money etc. as per terms and conditions stipulated in tender document should be submitted in a sealed cover envelope indicating the “**Eligibility documents**”. The Financial bid quoting the rates should be submitted separately in another envelope indicating “**Financial bid**”. Both the envelopes should be put together in another sealed cover envelope subscribing the name of work given in column 2 of the NIT and to be dropped in the tender box kept in the office of the Superintending Engineer, Guwahati Circle, Basistha , Guwahati-29 on or before the schedule date and time. The sealed envelop containing complete tender Documents is to be addressed to the Superintending Engineer, Guwahati Circle, Brahmaputra Board, Basistha, Guwahati-29. All pages of the tender document should be duly signed by the bidder. The envelope containing eligibility documents will be open first on 18.2.11 at 3.30 pm in presence of the intending bidders/authorized representative and the financial bid of the qualified bidders will only be opened on 21.2.11 at 3.30 pm in presence of intending bidders / authorized representatives.

10. REJECTION OF TENDER: The officer inviting tender shall have the right to reject all or any of the tenders without assigning any reason thereof. Tenders in which any of the prescribed conditions are not fulfilled or found incomplete in any respect are liable to be rejected. Tenders not submitted as per terms and conditions or contain too much errors/corrections or absurd rates are also liable for rejection without assigning any reason. Canvassing in connection with tender is strictly prohibited and the tenders submitted by the bidder who resorts to canvassing will be liable for rejection.

11. OPENING OF TENDER: The tender will be open on the scheduled date, time and place as mentioned in Notice Inviting Tender. If the schedule date becomes a holiday then the tender will be opened on the next working day .The interested bidder or their authorized agent/ representative may present at the time of opening of the Tender. **The bidders/representative should produce all the original documents at the time of opening the “Eligibility documents” envelope for verifications.**

12. ACCEPTANCE OF TENDER: The acceptance of the tender will rest solely with the Superintending Engineer, Guwahati Circle, Brahmaputra Board, Basistha, Guwahati-29 .

13. TENDER AGREEMENT: The successful bidder has to draw the tender Agreement on CPWD Form-8. The Brahmaputra Board follows the CPWD norms and procedures and bidders are advised to get themselves acquainted with the CPWD Manual/Procedures. Clause 10 C and 10 CC of the CPWD Form-8 will be deleted. No enhancement of the rates / escalations will be paid in any circumstances.

Superintending Engineer
Guwahati Circle.

(Brahma, G. Di. NIT , Type –III, & Garage P- 6)

Specification of Work

Sl No	Particular of Works	Unit.	Qntty.	Rate ₹ in figure	Rate Rupees in Words
1	Demolishing CC floor of various thickness including top layer and base course and disposal of debris as directed for all levels.	Sq.m	36.98	₹.....	(Rupees.....) only.
2	Demolishing the plastering from walls /RCC and PCC members without causing any damage to the wall /member upto any height including disposal of debris as directed for all levels.	Cum	0.7665	₹.....	(Rupees.....) only.
3	Demolishing skirting/ dado in walls/ RCC and PCC members without causing any damage to the wall /member upto any height including disposal of debris as directed for all levels.	Cum	0.119	₹.....	(Rupees.....) only.
4	Dismantling and removing the existing door and window frame (chowkath) both wooden and steel of different sizes with out damaging the walls and removing the frame and necessary repairs to the edges of the wall as directed for all levels.	RM	20.60	₹.....	(Rupees.....) only.
5	Dismantling all types of ceiling, partion and wall lining and stacking the materials as directed by the department for all levels.	Sq.m	3.60	₹.....	(Rupees.....) only.
6	Providing wood work in frame (chowkaths) of doors, windows, clerestory windows and other similar works wrought, framed and fixed in position in contact with C.C or brick masonry wall including supplying, fitting and fixing with M.S. hold fast (40mmx3mmx250mm) as per design embedded in cement concrete block in proportion 1:2:4: and with two coats of iricide oiling to the timber faces in contact with C.C and masonry as directed and specified. (b) With 1st class timber (Hollock/Bonsum)	Cum	0.1545	₹.....	(Rupees.....) only.
7	Cement concrete works in topping 1:1:2 (1 Cement :1 sand : 2 graded aggregates on RCC floor, and rise of steps finished with a floating coat of neat cement using cement slurry for bond @ 2.75kg of cement per sq. m of floor (base concrete to be measured and paid separately) to be laid in panels including curing complete as directed. (b) 20 mm thick	Sq.m	36.980	₹.....	(Rupees.....) only.
8	10 mm thick cement plaster in single coat on fair side of brick/concrete walls for interior plastering up to 1st floor level including arises or rounded angles not exceeding 80 mm in girth and finished even and smooth including curing complete as directed. (a) In cement mortar 1:3	Sq.m	7.665	₹.....	(Rupees.....) only.
9	Cement concrete plaster skirting with cement mortar in prop. 1:3 (1 cement: 3 coarse sand) finished with a floating coat of neat cement including rounding of junctions with floor. (a) 15 mm thick.	Sq.m	1.19	₹.....	(Rupees.....) only.
10	Providing, fitting and fixing full paneled doors/ windows including oxidized M.S butt hinges (100 mm x 75 mm x 3.55 mm) with necessary screws (other fittings to be measured and paid separately) c) With 1st Class Bola wood/Gamari wood (ii) 35 mm thick	Sq.m	6.30	₹.....	(Rupees.....) only.

Sl No	Particular of Works	Unit.	Qntty.	Rate ₹ in figure	Rate Rupees in Words
11	Providing, fitting and fixing fully glazed windows with sash bars including oxidized M.S butt hinges (75 mm x 60 mm x 3.15 mm) 2 nos of each leaf and 3 nos on single leaf (glass panes to be measured and paid separately) c) With Bola wood/Gamari wood (ii) 35 mm thick	Sq.m	1.485	₹.....	(Rupees.....) only.
12	Providing, fitting and fixing fully glazed clerestory windows and fan light including fitting and fixing 2 nos M.S pivot hinges (75 mm x 20 mm x 3 mm), eye hook and nylon chord complete (glass panes to be measured and paid separately) c) With Bola wood/Gamari wood (ii) 35 mm thick	Sq.m	2.01	₹.....	(Rupees.....) only.
13	Providing and fixing clear sheet glass beaded in putty and fixed with/without wooden beading including cutting of glass to required sizes (Payment for wooden beads shall be made separately) (II) Area of glass panes exceeding 0.15sq.m but not exceeding 0.52sq.m (a) 3.00mm thick.	Sq.m	2.20	₹.....	(Rupees.....) only.
14	Provide and fixing 1st class timber beading for fixing clear sheet glass/frosted glass including applying a coat of wood preservative on unexposed surface. (d) With 1st class local timber (Hollock / Sundi).	RM	21.00	₹.....	(Rupees.....) only.
15	Providing, fitting and fixing fly proof galvanized M.S. wire gauge of I.S. designation 85 G with wire of dia. of 0.56mm to windows and clearstory windows including timber beading of size 50mm X 20mm complete. (b) With 2nd class local timber bead.	Sq.m	24.75	₹.....	(Rupees.....) only.
16	Providing and fixing plain, square edged cover fillet in ceiling and lining with wood screws including mitering at junctions. (b) Hollock/Bonsum/Sundi timber plank(40mX 12mm)	RM	72.00	₹.....	(Rupees.....) only.
17	Providing barge board of size 200mmx 20mm with 1st class local Hollock / Bonsum timber including fitting and fixing with necessary wood screws etc. complete.	RM	12.00	₹.....	(Rupees.....) only.
18	Pre construction anti - termite treatment with aqueous emulsion having concentration 1:19 with chlorophosphate solution (trical or equivalent) and water. This provides emulsion containing 1% chlorophosphate solution (by weight) applying the soil along the external perimeter of the building (after construction completed) to a distance close to the plinth wall as specified and as directed by the deptt. up to a depth of 300mm making rod holes along the line @ 150mm apart to a depth of 300mm and applying emulsion @ 4.5 liters per running metre ensure moistening of the soil with emulsion (supplying of necessary tools and accessories by the contractor) as per the direction of the Department complete.	Rm	13.00	₹.....	(Rupees.....) only.
19	(a) Removing dry or oil bound distemper by washing and scraping and sand papering the wall surface smooth including necessary repairs to scratches complete.	Sq.m	27.494	₹.....	(Rupees.....) only.

Sl No	Particular of Works	Unit.	Qntty.	Rate ₹ in figure	Rate Rupees in Words
20	(h) Distemping with dry distemper of approved brand and manufacture (one coat) and of required shad on old wall surface to give an even shade, after thoroughly brushing the surface clean of all grease, dirt, loose pieces of scales including preparing surface even and sand papered smooth.	Sq.m	447.65	₹.....	(Rupees.....) only.
	(i) Extra over item no 20 above for every subsequent coat of distemping with dry distemper of approved brand and manufacture.	Sq.m	447.65	₹.....	(Rupees.....) only
21	(c) Finishing wall with water proofing cement paint of approved brand and manufacture and of required shad on old wall surface (one coat) to give an even shade, after thoroughly booming the surface to remove all dirt and remains of loose or softened paint.	Sq.m	169.61	₹.....	(Rupees.....) only
	(i) Extra over item no 21 above for every subsequent coat of water proofing cement paint of approved brand and manufacture.	Sq.m	169.61	₹.....	(Rupees.....) only
22	Applying priming coat over new wood and wood based surfaces over 100 mm in girtg.width after and including preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter, sand papering and knotting. b) With ready mixed paint, wood primer (White).	Sq.m	31.814	₹.....	(Rupees.....) only
23	Painting two coats (excluding priming coat)on new wood and wood based surfaces with enamel paint of approved brand and manufacture (Asian paint/ Berger paint/ ICI paint over 100mm in girtg.width after and including preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter, sand papering and stopping. (i) Surfaces over 100mm in width or girth. (a) General purpose(Asian paint/Berger paint/ICI paint/J&N paint/Nerolac)	Sq.m	31.814	₹.....	(Rupees.....) only
24	Painting one coat (excluding priming coat)on old wood and wood based surfaces with enamel paint to give an even shed including cleaning the surface of all dirt, dust and other foreign matter, sand papering and stopping. (i) Surfaces over 100mm in width or girth. (a) General purpose(Asian paint/Berger paint/ICI paint/J&N paint/Nerolac)	Sq.m	121.01	₹.....	(Rupees.....) only
25	Painting two coats on new G.C.I sheets with ready mixed anticorrosive paint of appropriate brand and shade suitable for painting over G.C.I sheets to gie an even shade including the cleaning the rust patches with emery paper,dust,dirt,grease and other foreign matter with water complete.	Sq.m	10.72	₹.....	(Rupees.....) only
26	Painting one coat on old G.C.I sheets with ready mixed anticorrosive paint of appropriate brand and shade suitable for painting over G.C.I sheets to gie an even shade including the cleaning the rust patches with emery paper,dust,dirt,grease and other foreign matter with water complete.	Sq.m	417.03	₹.....	(Rupees.....) only

Sl No	Particular of Works	Unit.	Qntty.	Rate ₹ in figure	Rate Rupees in Words
27	Painting one coat (excluding priming coat) on previously painted steel and other metal surface with enamel paint of approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J&N paint Nerolac). To give an even shade including cleaning the surface of all dirt, and other foreign matter. (i) Surface over 100mm in width or girth. (a) general purpose(Asian paint/Berger paint/ICI paint/J&N paint/Nerolac.	Sq.m	53.91	₹.....	(Rupees.....) only
28	Supplying, fitting and fixing anodized aluminum fittings of approved make, reasonably smooth, free from sharp edges and corners, flaws and other defects and with counter sunk holes for screws including necessary aluminum screws etc. complete. (anodized to bright natural matt & satin finished)				
	a) Sliding door bolts i) 300mm X 16mm	Each	2	₹.....	(Rupees.....) only
	a) Tower bolts i) 300mm X 12mm	Each	2	₹.....	(Rupees.....) only
	c) Door handles ii) 125mm	Each	2	₹.....	(Rupees.....) only
	iii) 150mm	Each	3	₹.....	(Rupees.....) only
	d) Shutter hook & eye i) 150mm	Each	3	₹.....	(Rupees.....) only
	ii) 250mm	Each	2	₹.....	(Rupees.....) only
	m) Mortic lock vertical type aluminum alloy pressure die-casting i) 100mm (Godrej with handle - 6 lever	Each	1	₹.....	(Rupees.....) only
	t) Door stopper- double	Each	1	₹.....	(Rupees.....) only
29	Renewing PVC flush pipe including removing the unserviceable materials, cutting and making good to the floors and walls where necessary	Each	1	₹.....	(Rupees.....) only
30	Renewing PVC waste pipe including removing the unserviceable materials, cutting and making good to the floors and walls where necessary	Each	1	₹.....	(Rupees.....) only
31	Renewing CP brass waste coupling 40mm size of Agmeco/Sona make for wash basin and sink complete as directed and specified.	Each	1	₹.....	(Rupees.....) only
32	Supplying fitting and fixing C P bib cock 15 mm dia of approved brand directed and specified.(G.I.& C.P. pipes will be measured separately)				
	(l) Essco make (Delux/Sumthing spl./Tropical) (a) Bib cock short body	Each	3	₹.....	(Rupees.....) only

SI No	Particular of Works	Unit.	Qntty.	Rate ₹ in figure	Rate Rupees in Words
	(b) Long body bib cock with wall flange (II)Jaquar make	Each	2	₹.....	(Rupees.....) only
	(a) Continental / Clarion (iii) 2-Way bib cock	Each	1	₹.....	(Rupees.....) only
33	Supplying fitting and fixing overhead chrome plated (C P) spray shower without arms 15mm dia of Agmeco make as directed and specified.(pipes will be measured and paid separately) (b) Stella / Deluxe / New Elegant / Round Elegant / Octa/Round 100mm	Each	2	₹.....	(Rupees.....) only
34	Supplying fitting and fixing G.I.Pipes of following sizes with all necessary approved G.I.fittings such as bend, tee, elbow, reducer, nipple, plug, long screw fittings, H.W. clamps etc. complete at all levels including below G.L. as directed and specified.				
	I) In exposed surface or in trenches. f) 15 mm dia. Using TATA (medium)	RM	6.00	₹.....	(Rupees.....) only
	II) Concealed by chiseling or breaking brick wall /CC/RCC and making good to the damages. f) 15 mm dia. Using TATA (medium)	RM	6.00	₹.....	(Rupees.....) only
35	Providing fitting and fixing chrome plated (CP) towel ring of Jaquar make complete as directed and specified a)Continental Accessories	No	2	₹.....	(Rupees.....) only
36	Providing fitting and fixing chrome plated (CP) towel rail of Jaquar make complete as directed and specified c) Queen's Accessories (450mm long)	No	2	₹.....	(Rupees.....) only
37	Providing fitting and fixing mirror of Agmeco make (Cat.No VN-9011) colour CP frame complete as directed and specified	No	2	₹.....	(Rupees.....) only
38	Providing fitting and fixing soap tray/dish of parry ware make complete as specified and directed a) White (i) Recessed soap dish	No	2	₹.....	(Rupees.....) only
39	Renewing CI/MS brackets for wash basin and sink complete as directed and specified.	Each	2	₹.....	(Rupees.....) only
40	Providing fitting and fixing (600 x 600) mm 90mm thick C.I. man hole cover and frame of 25kg weight complete as directed and specified	No	1	₹.....	(Rupees.....) only

Signature of Contractor

Superintending Engineer
Guwahati Circle



For Authorized use only

**GOVERNMENT OF INDIA
BRAHMAPUTRA BOARD
(MINISTRY OF WATER RESOURCES)
BASISTHA: GUWAHATI
PIN-781029**

TENDER DOCUMENT

Name of work: - Repairing of Scooter garage at H.Q. Complex Brahmaputra Board
,Basistha , Guwahati-29
(Group-2)

Issued to

Issued by

**BRAHMAPUTRA BOARD
BASISTHA: GUWAHATI**

TENDER DOCUMENT

Name of Work : Repairing of Scooter garage at H.Q. Complex Brahmaputra Board
, Basistha , Guwahati-29
(Group-2)

DETAILED TERMS AND CONDITIONS OF THE TENDER

1. PURCHASE OF TENDER DOCUMENT: The non- transferable tender documents can be obtained from the office of the Superintending Engineer, Guwahati Circle, Brahmaputra Board, Basistha , Guwahati-29 on payment of Rs 500.00 (Rupees Five hundred) only in the form of crossed I.P.O (non-refundable) drawn in favour of the Financial Adviser, Brahmaputra Board, Basistha, Guwahati-29. The bidders, who download the tender directly from website, will have to deposit the cost of tender paper in the same manners along with eligibility document of tender.

2. EARNEST MONEY: The Tender shall be submitted in sealed cover along with Earnest Money as per notification in the form of Demand draft / Banker cheque / Deposit at Call Receipt / Fixed deposit receipt drawn from any schedule Bank guaranteed by Reserve Bank of India payable at Guwahati in favour of the Superintending Engineer, Guwahati Circle, Brahmaputra Board, Basistha, Guwahati-29. The earnest money of the successful bidder will be retained and will form a part of the security deposit till completion of the work. The earnest money of the unsuccessful bidder will be return after finalization of the bid.

3. SECURITY DEPOSIT: The Security Deposit will be deducted from the bill of the bidder as per prescribed norms and the earnest money deposited at the time of submission of tender will forma part of the security deposit.

4. QUOTED RATES: The rates shall be quoted both the figure and the words inclusive of all taxes, duties, levies, service tax, forest royalty etc. as applicable as per schedule format of tender document. Overwriting shall be avoided and correction made if any, shall be signed by the bidder.

5. SITE CONDITION: Before submission of tender, the bidder may inspect the working site to fully acquaint himself/themselves about the condition of the site. No claim whatsoever on such account shall be entertained by the Department on any circumstances later on.

6. VALIDITY OF TENDER: The validity of the tender is **60(sixty)** days from the date of opening of tender(s).

7. **TIME OF COMPLETION OF WORK**: The period of completion of work shall be 45 (Forty five) days from the 10th day issue of formal work order.

8. **TAX DEDUCTION**: Necessary taxes like Income Tax, VAT, Service Tax, Duties, or any other taxes as applicable, will be deducted at source as admissible from the bill in due course of time.

9. **SUBMISSION OF TENDER**: The complete tender documents along with attested copies of valid Registration Certificate, PAN card, VAT clearance Certificate, I.P.O. for cost of tender paper, Earnest Money etc. as per terms and conditions stipulated in tender document should be submitted in a sealed cover envelope indicating the “**Eligibility documents**”. The Financial bid quoting the rates should be submitted separately in another envelope indicating “**Financial bid**”. Both the envelopes should be put together in another sealed cover envelope subscribing the name of work given in column 2 of the NIT and to be dropped in the tender box kept in the office of the Superintending Engineer, Guwahati Circle, Basistha, Guwahati-29 on or before the schedule date and time. The sealed envelope containing complete tender Documents is to be addressed to the Superintending Engineer, Guwahati Circle, Brahmaputra Board, Basistha, Guwahati-29. All pages of the tender document should be duly signed by the bidder. The envelope containing eligibility documents will be open first on 18.2.11 at 3.30 pm in presence of the intending bidders/authorized representative and the financial bid of the qualified bidders will only be opened on 21. 2.11 at 3.30 pm in presence of intending bidders / authorized representatives.

10. **REJECTION OF TENDER**: The officer inviting tender shall have the right to reject all or any of the tenders without assigning any reason thereof. Tenders in which any of the prescribed conditions are not fulfilled or found incomplete in any respect are liable to be rejected. Tenders not submitted as per terms and conditions or contain too much errors/corrections or absurd rates are also liable for rejection without assigning any reason. Canvassing in connection with tender is strictly prohibited and the tenders submitted by the bidder who resorts to canvassing will be liable for rejection.

11. **OPENING OF TENDER**: The tender will be open on the scheduled date, time and place as mentioned in Notice Inviting Tender. If the schedule date becomes a holiday then the tender will be opened on the next working day. The interested bidder or their authorized agent/ representative may present at the time of opening of the Tender. **The bidders/representative should produce all the original documents at the time of opening the “Eligibility documents” envelope for verifications.**

12. **ACCEPTANCE OF TENDER**: The acceptance of the tender will rest solely with the Superintending Engineer, Guwahati Circle, Brahmaputra Board, Basistha, Guwahati-29.

13. TENDER AGREEMENT: The successful bidder has to draw the tender Agreement on CPWD Form-8. The Brahmaputra Board follows the CPWD norms and procedures and bidders are advised to get themselves acquainted with the CPWD Manual/Procedures . Clause 10 C and 10 CC of the CPWD Form-8 will be deleted. No enhancement of the rates / escalations will be paid in any circumstances.

Superintending Engineer
Guwahati Circle.

(Brahma, G. Di. NIT , Type –III, & GaragrP- 15)

SCHEDULE OF ITEMS, QUANTITIES ETC

Name of work: - Repairing of scooter garage at H.Q. complex, Brahmaputra Board,
Basistha, Guwahati – 29. (Group-2)

SI No	ITEM OF WORK	UNIT	QNTY	RATE TO BE QUOTED BY TENDERER	
				Rate ₹ in figure	Rate Rupees in Words
1	Dismantling all types of corrugated / trapezoidal sheet roofing including ridges, hips, valleys and gutters etc. and stacking the materials as directed by the department for all levels.	m ²	86.04	₹.....	(Rupees.....) only
2	Dismantling wood work in frames, trusses, purlins and rafters including stacking the materials as directed by the department for all levels.	m ³	1.60	₹.....	(Rupees.....) only
3	Demolishing CC floors of various thickness including top layer and base course and disposal of debris as directed for all levels.	m ²	5.76	₹.....	(Rupees.....) only
4	Earth work in excavation for foundation trenches of walls. Retaining walls, footing of column, steps, septic tank etc. including refilling (return filling) the quality as necessary after completion of work, breaking clods in return filling, dressing, watering and remaining etc, and removal of surplus earth with all lead and following classification of soils including balling out water where necessary as directed and specified. A) Up to a depth of 2.00m below the existing ground level.a) In ordinary soil.	m ³	6.14	₹.....	(Rupees.....) only
5	Providing brick soling in foundation and under floor with stone /best quality picked jhama brick, sand packed and laid to level and in panel after preparing the sub grade as directed including all labour and materials and if necessary dewatering complete (a) Brick on flat soling.	m ²	9.00	₹.....	(Rupees.....) only
6	Plain cement concrete works with coarse aggregate of sizes 13mm to 32 mm in foundation bed for footing steps, walls, brick works etc. as directed and specified including dewatering if necessary, and curing complete (shuttering where necessary shall be measured and paid separately).a) In proportion 1:3:6) (1 cement :3 coarse sand :6 coarse aggregate by volume., using mixture machine)	m ³	14.76	₹.....	(Rupees.....) only

SI No	ITEM OF WORK	UNIT	QNTY	RATE TO BE QUOTED BY TENDERER	
				Rate ₹ in figure	Rate Rupees in Words
7	Providing form work of ordinary timber planking so as to give a rough finish including centering, shuttering, strutting and propping etc. height of propping and centering below supporting floor to ceiling not exceeding 4.0M and removal of the same for in-situ reinforced concrete and plain concrete and plain concrete work in Foundation, footings, bases of columns, pile cap, raft and mass concrete works etc.ii) Using 25 mm thick plank	m ²	2.61	₹.....	(Rupees.....) only
8	Supplying, fitting and fixing in position reinforcement bars conforming to relevant I.S. Code for R.C.C. work/ R.B. walling including straightening, cleaning, cutting and bending to proper shapes and length as per details, supplying and binding with 20 G annealed black wire and placing in position with proper blocks, supports, chairs, spacers etc. complete (up to 1st floor level).b) ISI approved Super ductile bar (ii)other ISI marked (i)10 mm dia bar	Qntl	0.77	₹.....	(Rupees.....) only
	(ii) 6mmdia stirrup	Qntl	0.04	₹.....	(Rupees.....) only
9	Providing and laying plain/reinforced cement concrete work with coarse sand& 20mm down graded stone aggregate including dewatering if necessary, and curing complete but excluding cost of form work and reinforcement for reinforced cement concrete work (form work and reinforcement will be measured and paid separately) (I) using mixture machine (A) In substructure up to plinth level. Foundation, footing, columns with base, tie and plinth bean, grade beam, pile cap, base slab, retaining walls, walls of septic tank, inspection pit and the like and other works not less than 100mm thick up to plinth level.(a)M15 or prop1:2:4 (A) In Sub-Structure up to plinth level	m ³	0.81	₹.....	Rupees.....;)only
	(B) In Super -Structure	m ³	0.96	₹.....	Rupees.....;)only
10	Providing undressed wood work in roof trust, rafter, purlin,tie and the like including hoisting and fixing in position with necessary spikes, nails including M.S straps with bolt and nuts etc. complete with kiricide oiling two coats to all timber members and two coats of anticorrosive paint to M.S straps (M.S flats, angle cleats and bolts nuts required for flat and angle cleats wherever used shall be measured and paid separately b)With Hollock/ Sundi/Sam..	m ³	0.94	₹.....	(Rupees.....) only
11	Supplying fitting and fixing M.S. angles, M.S. flat, M.S. bolts and nuts including painting with red lead paint one coat complete as directed. c) M.S. bolts & nuts	Qntl	4.80	₹.....	(Rupees.....) only

SI No	ITEM OF WORK	UNIT	QNTY	RATE TO BE QUOTED BY TENDERER	
				Rate ₹ in figure	Rate Rupees in Words
12	Labour for fitting and fixing galvd corrugated iron roofing including supplying and fixing with new galvd screw,J hook, bolts nuts, washer etc.complete as directed.	m ²	32.03	₹.....	(Rupees.....) only
13	Providing corrugated galvd.iron sheet roofing of TATA/SAIL including fitting & fixing necessary galvd.J or L hooks, bolts & nuts 8mm dia with bitumen washer 25mm dia x3mm thick and 1.6mm thick limpet washer complete excluding cost of roof truss,purlin etc.(roof trusses and purlin etc. to be measured and paid separately) (e) 0.63mm thick	m2	48.04	₹.....	(Rupees.....) only
14	Providing barge board of size 200mmx20mm with 1st class local Hollock/Bonsum timber including fitting and fixing with necessary wood screws etc. complete. d) 0.63 mm thick	Rm	54.00	₹.....	(Rupees.....) only
15	Painting one coat on old G.C.I sheets with ready mixed anticorrosive paint of appropriate brand and shade suitable for printing over G.C.I to give an even shade including the cleaning the rust patches with emery paper,dust,dirt,grease and other foreign matter with water complete.	m ²	32.03	₹.....	(Rupees.....) only
16	Applying priming coat over new wood and wood based surfaces over100mm in grith/width after and including preparing the surface bythoroughly cleaning oil, grease, dirt and other foreign matter, sand papering and knotting b) With ready mixed paint, wood primer (white) .	m ²	11.88	₹.....	(Rupees.....) only
17	Painting two coats (excluding priming coat) on new wood and wood based surface with enamel paint of approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J&N paint/ Nerolac) to give an evenshade including cleaning the surface of all dirt, dust and other foreignmatter sand papering and stopping. i)Surfaces over 100mm in width on girth b) High gloss (Asian paint/Berger paint/ICI paint/J&N paint/Narolack	m ²	11.88	₹.....	(Rupees.....) only
18	Brick work in cement mortar with 1st class brick including racking out joints and dewatering if necessary, and curing complete as directed in sub-structure up to plinth level. a) In prop 1:5	m ³	1.94	₹.....	(Rupees.....) only

SI No	ITEM OF WORK	UNIT	QNTY	RATE TO BE QUOTED BY TENDERER	
				Rate ₹ in figure	Rate Rupees in Words
19	Earth/sand filling in plinth in layers not more than 150mm thick including necessary carriage ,watering ,ramming etc.complete as directed and specified including payment of land compensation ,forest royalty ,sales tax and other duties and taxes as may be necessary.(b) with hill sand obtained by truck carriage loading and unloading and carriage to the site of work	m ³	2.59	₹.....	(Rupees.....) only
20	15mm thick cement plaster in single coat on fair side of brick/concrete walls for interior plastering up to 1st floor level including arises, internal rounded angles, chamfers and / or rounded angles not exceeding 80mm in girth and finished even and smooth including curing complete as directed. b) In cement mortar 1:4	m ²	25.68	₹.....	(Rupees.....) only
21	Plain cement concrete floor base in prop.1;3:6 laid in alternate bays in specified with coarse agg. Of size 13mm to 32mm including dewatering if necessary, and curing etc.complete a) 50 mm thick.	m ²	5.76	₹.....	(Rupees.....) only
22	Applying two coats of wood preservative on wood and wood based surfaces including preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter, sand papering and knotting. a) With kiricide oil	m ²	53.93	₹.....	(Rupees.....) only

Signature of Contractor

Superintending Engineer
Guwahati Circle