

1.1 BRIEF PARTICULARS OF THE WORK

1.1.1 Salient details of work for which bids are invited are as under:

Gr. No.	Name of work	Estimated value (approx) (Rs. in lakh)	Earnest Money (Rs.)	Cost of Tender Paper (Rs.)	Time of completion (day)
1	2	3	4	5	6
3	Casting and Supplying of RCC (1:2:4) porcupine bars of size of each member 0.10x0.10 x3.00m reinforced by 4 nos. 8mm dia TMT bar with stirrup of galvanized wire 4mm dia at 15cm c/c holes of 20mm dia 50mm inside from both ends and the same face and in other face of post, another 2 nos of holes of size 20mm dia at 65 cm inside from the both ends cured properly and complete in all respect (R.C.C Porcupine member are to be delivered to the Stock-yards near the laying site/ sites as directed by the department). (Group No. 3) Casting & supply of RCC porcupine bar at Salmara-Bessamara & Sumoimari area.	330.906	661800.00	1500.00	120

1.1.2 The work site is situated at Aphalamukh & Dakhinpat area in Majuli Island, Jorhat District, Assam.

1.1.3 General features and major components of the work are as under:

i) Casting and Supply of RCC Porcupine bars= 66828 nos.

For detailed specification of the works, refer Section-VIII.

1.1.4 Work shall be executed according to General Conditions of Contract for CPWD Form-8 & 9. The bidder may see the General Conditions of Contract for CPWD Form-8 & 9 in the office of the Chief Engineer (I&W) during office hours.

1.1.5 The casting of R.C.C Porcupine bars shall have to carryout by the contractor at designated site of casting as specified by the concerned Executive Engineer. The Casting shall be under supervision of Brahmaputra Board's officials.

1.1.6 The RCC porcupine bars should be numbered group-wise. The group no., serial no. & date of casting of each and every RCC porcupine bar should be engraved on the face of the bar.

Chief Engineer (I&W)

2.0.0 INFORMATION AND INSTRUCTIONS TO BIDDERS

2.1.0 GENERAL

- 2.1.1 Letter of transmittal and forms for deciding eligibility are given in Section-III.
- 2.1.2 All information called for in the enclosed forms should be furnished against the relevant columns in the forms. If for any reason, information is furnished on a separate sheet, this fact should be mentioned against the relevant column. Even if no information is to be provided in a column, a “nil” or “no such case” entry should be made in that column. If any particulars/ query is not applicable in case of the bidder, it should be stated as “not applicable”. The bidders are cautioned that not giving complete information called for in the application forms or not giving it in clear terms or making any change in the prescribed forms, or, deliberately suppressing the information may result in the bid being summarily disqualified. Bids made by telegram or telex or those received late will not be entertained.
- 2.1.3 The bid should be type written in bidder’s letterhead. The bidder should sign each page of the application/ Tender.
- 2.1.4 Overwriting should be avoided. Correction, if any, should be made by neatly crossing out, initialing, dating and rewriting. Pages of the eligibility criteria document are numbered. Additional sheets, if any added by the contactor, should be in bidder’s letterhead, numbered and signed by him. They should be submitted as a package with signed letter of transmittal.
- 2.1.5 Reference, information and certificates from the respective clients certifying suitability, technical knowledge or capability of the bidder should be signed by an officer not below the rank of Executive Engineer or equivalent.
- 2.1.6 The bidder may furnish any additional information which he thinks is necessary to establish his capabilities to successfully complete the envisaged work. He is, however, advised not to furnish superfluous information. No information shall be entertained after submission of eligibility criteria document unless it is called for by the Employer.
- 2.1.7 Any information furnished by the bidder found to be incorrect either immediately or at a later date, would render him liable to be debarred from tendering/ taking up of work in Brahmaputra Board.

ITEM RATE TENDER & CONTRACT

General Rules and Directions

1. This form will state the work to be carried out as well as the quantity of the work to be executed, time of completion and percentage of security deposit to be deducted from the bills of the successful tenderers. Copies of the specifications, designs and drawings, the schedule of quantities of work and any other documents required in connection with the work signed for the purpose of identification by the Chief Engineer (I&W) shall also be open for inspection by the contractor at the office of the Chief Engineer (I&W) during office hours.
2. In the event of the tender being submitted by a firm, it must be signed separately by each partner thereof or in the event of the absence of any partner it must be signed on his behalf by a person holding a power of attorney authorizing him to do so, such power of attorney to be produced with the tender and it must disclose that the firm is duly registered under the Indian Partnership Act, giving a copy of such registration document.
3. Receipt of payments made on account of a work when executed by a firm must also be signed by the several partners, except where contractors are described in their tender as a firm, in which case the receipts must be signed in the name of the firm by one of the partners, or by some other person having authority to give effectual receipts for the firm.
4. Any person who submits a tender shall fill up the usual printed form stating at what rate (both in words and figures) he is willing to undertake each item of the work. Tenders which propose any alternation in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work or which other conditions of any sort will be liable to rejection.
 - 4-A. The rate(s) and or amount (s) must be quoted out two decimal coinages.
 - 4-B. The Contractors/ bidders should quote rates considering the latest Govt. orders / Circulars/ Notifications on taxes, Cess etc. as applicable which are to be deducted at source from bill.
5. The tenders shall be opened by the Tender Committee in presence of intending contractors who may be present at the time and will enter the amounts of the several tenders in comparative statement in a suitable form. In the event of a tender being accepted, a receipt for the earnest money forwarded herewith shall there upon be given to the contractor who shall thereupon for the purpose of identification sign copies of the specifications and other documents. In the event of a tender being rejected the earnest money forwarded with such unaccepted tender shall thereupon be returned to the contractor remitting the same.
6. The officer inviting tenders shall have the right of rejecting all or any of the tenders, and will not be bound to accept the lowest tender.
7. Performance Guarantee: The successful contractor shall be required to deposit an amount equal to 5% of the tendered value of the work as performance guarantee in the form of an irrevocable Bank guarantee bond of any scheduled bank or State Bank of India in accordance with the form prescribed or in cash or in the form of Govt. security, fixed deposit

receipt etc. as in the case of recovery of security deposit within 15 days of the issue of letter of intent but before award of work. Performance guarantee shall be released after satisfactory completion of work in all respect plus 60 days beyond based on "Completion Certificate" signed by the competent authority.

8. If it is found that the tender is not submitted in a proper manner or contains too much corrections and/ or absurd rates of amounts it would be open for the Brahmaputra Board to reject the tender without assigning any reason.

9. The tenderers shall sign a declaration under the official secret act for maintaining secrecy of the tender documents drawing, other records connected with the work given to them. The unsuccessful tenderers shall return all the drawings when given to them.

:DECLARATION:

I/ We hereby declare that I/ We shall treat the tender documents, drawings and other records connected with the work as secret/ confidential documents and shall not communicate information/ derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudice to the safety of the same.

Signature of contractor

ITEM RATE TENDER FOR WORKS

I/ We hereby tender for the execution for the work specified in the underwritten memorandum within the time specified in such memorandum at the rates specified in figures and words in the attached schedule of quantities on **page ... to ...** . and in accordance in all respect with the specifications, designs, drawings and instructions in writing referred to the attached schedule of quantity and in clause 11 of the conditions of contract of CPWD 8 and with such materials as are provided for and in all respects in accordance with such conditions so far as applicable
Memorandum.

Location of work:- Aphalamukh & Dakhinpat area in Majuli Island, Jorhat District, Assam.

Name of work	Estimated value (approx) (Rs. in lakh)	Earnest Money (in Rs.)	Cost of Tender Paper (Rs.)	Time of completion (day)
2	3	4	5	6
Casting and Supplying of RCC (1:2:4) porcupine bars of size of each member 0.10x0.10 x3.00m reinforced by 4 nos. 8mm dia TMT bar with stirrup of galvanized wire 4mm dia at 15cm c/c holes of 20mm dia 50mm inside from both ends and the same face and in other face of post, another 2 nos of holes of size 20mm dia at 65 cm inside from the both ends cured properly and complete in all respect (R.C.C Porcupine members are to be delivered to the Stock-yard near the laying site/ sites as directed by the department) (Group No. 3) Casting & supply of RCC porcupine bar at Salmara-Bessamara & Sumoimari area.	330.906	661800.00	1500.00	120

b) Security Deposit: - The security deposit will be at uniform rate of 5% of the estimated cost put to tender/ works value, this supersedes corresponding clause of CPWD Form No.8 & 9.

The security deposit will be collected by deductions from the running bills of contractor at the rates mentioned above and the earnest money deposited at the time of tender will be treated as part of security deposit.

The security deposit will also be accepted in one of the forms given below subject to the conditions as prescribed under rule:

- I. Promissory notes and stock certificates of Central Govt. or State Govt.
- II. Post Office cash Certificate, National Saving Certificate, Treasury Saving Certificate, National Plan Saving Certificate, 12 Yr. National Defence Certificates & 10 Yr. Defence Deposit Certificates.
- III. Post Office Saving Bank Pass Book.
- IV. Debenture or post Trust Bonds.
- V. Deposit Receipts of recognized Bank approved by Govt. for the purpose.
- VI. Deposit Receipts of Nationalized bank of India

Time allowed for the work will be counted from the 10th day after the date of written order to commence the work.

Should this tender be accepted in whole or in part, I/We hereby agree (i) to abide by and fulfill all the terms and provisions of the said conditions annexed hereto and all the terms and provisions contained in notice inviting tender so far as applicable and/or in default thereof to forfeit and pay to the Chief Engineer (I&W), Brahmaputra Board or his successors in office the sum of money mentioned in the said conditions.

If I/ We fail to commence the work specified in the above Memorandum, I/We agree that the said Chief Engineer (I&W), Brahmaputra Board or his successors in office shall without prejudice any other right of remedy be at liberty to forfeit the said earnest money absolutely, otherwise the said earnest money shall be retained by him towards security deposit.

- (i) To execute all the works referred to in the tender documents upon the terms and conditions contained or referred to therein and to carry out such deviation as may be ordered upto a maximum of fifty percent at and here in after termed as the deviation limit of tenders. The rate quoted in the tender documents and those in excess of that limit at the rates to be determined in accordance with provision contained in clause- 12 A of the tender form.
- (ii) If any tenderer withdraws his tender within the validity period or makes any modifications in the terms and conditions of the tender which are not acceptable to the Board, then the Board shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the earnest money.

I/ We agree that should I/ we fail to commence the work specified in the above Memorandum, an amount equal to the amount of the earnest money mentioned in the form of invitation of tender shall be absolutely forfeited to the Brahmaputra Board and the same may at the option of the Brahmaputra Board be recovered out of the deposit in so far as the same may extend in terms of the said Bond and in the event of deficiency out of any other moneys due to me/ us or otherwise.

Signature of Contractor

Terms and conditions of contract

1. The tenders will be drawn up in CPWD tender form No.8 for acceptance. The conditions of contract as detailed of CPWD form No.8 will be applicable for the execution of the contract except where indicated.
2. Validity of rate will be **120 (one hundred twenty)** days only, for acceptance of tender after opening of Financial bids/ Tenders as the case may be.
3. All rates should be quoted on the proper form of the tender alone.
4. Any item rate tender containing percentage below/ above will be summarily rejected. Any rebate conditional or unconditional will be liable for rejection as per section 20 of CPWD manual Vol. II. However, where a tender voluntarily offers a rebate for payment within a stipulated period this may be considered. The rebate thus offered will not be counted for condition of the bid(s).
5. Special care should be taken to write the rates in figures as well as in words and the amounts in figures only in such a way that interpolation is not possible. The total amount should be written both in figures and in words. In case of figures, the word 'Rs.' should be written before the figures of rupees and word 'P' after the decimal figures e.g. Rs. 2.51 p and in case of words, the word 'Rupees' should precede and the words 'paise' should be written at the end, Unless the rates are in whole rupees and followed by the word 'only' it should invariably be upto two decimal place while quoting the rate. In schedule of quantities, the word 'only' should be written closely following the amount and it should not be written in the next line.
6. The Brahmaputra Board is not bound to accept the lowest tender or any other tender and reserves the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
7. Forest Royalty, Sales Tax or any other tax on material in respect of this contract shall be payable by the contractor and Brahmaputra Board will not entertain any claim whatsoever in this respect.
8. Rate should be quoted inclusive of all taxes including VAT as applicable & all other charges/ cost involved in the work and no separate demand for transportation charges upto place of delivery of materials will be entertained.
9. The contractor shall give a list of staff of Brahmaputra Board employees related to him.
10. It will be obligatory on the part of the tenderer to tender and sign the tender documents for all the component parts and that after the work is awarded, he will have to enter into an agreement for each component with the competent officer concerned.

11. Before tendering, the contractor shall visit the site at his own cost and satisfy himself as to the conditions prevalent at the same. The site for the work shall be made available within 7(Seven) days after the date of issue of the letter of acceptance of tender.

He should also see all drawings and in case of doubt obtain required particulars from Executive Engineer concerned which may in any way influence his tender as no claim whatsoever shall be entertained for any alleged ignorance thereof. In case of two/ three bid system, a pre-bid meeting will be held 3/4 days before the submission of tender documents to clarify various points that may rise at the point of time. However it will be separately intimated.

12. If on check there are difference observes between the rates quoted by the contractor in words and figures or in the amount worked out by him the following procedure shall be followed.

i) When there is a difference between rates in figures and in words, the rates which correspond to the words shall be taken as correct.

ii) When the amount of an item is not worked out by the contractor or it does not correspond with the rate written either in figures or in words, then the rate quoted by the contractor in words shall be taken as correct.

13. If it is found that the tender is not submitted in proper manner or contains too many corrections or absurd rates are quoted, it would then be open for the Brahmaputra Board to take suitable action against the contractor. In case it is found that for a particular item rate is not quoted than the highest quoted rate(s) of the bidders will be considered for evaluation of the tender & if work is allotted to him which is remote the lowest quoted rate(s) including estimated rate will be offered which shall be binding.

14. No Engineer of Gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Govt. of India is allowed to work as a contractor for a period of two years after his retirement from Govt. Service, without the previous permission of the Government of India In writing. This Contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Govt. Of India as aforesaid before submission of the tender or engagement in the contractors service.

15. The tender must associate with himself agencies of the appropriate class eligible to tender for the other components individually.

16. Tender document submitted by the bidders will not be returned back whether accepted or rejected.

Chief Engineer (I&W)

SPECIAL CONDITIONS OF CONTRACT

(1) Drawing

The drawings and specifications are to be collected from the office of the Chief Engineer (I&W), Brahmaputra Board, Basistha, Guwahati-29.

(2) Start of work to be notified:

The contractor will notify the Engineer-in-charge in writing about his intention to start any item of work. The item of work will be taken up with the consent of the Engineer-in-charge who will verify whether there is enough stock of materials and other inputs/ machineries required for the item of work.

(3) Use of Construction facilities:

It is possible that other works at or in the vicinity of the site will be performed by the department or by other contractor during the period of time allowed for the performance of the work under these specifications. The contractor shall permit full use, (without charge thereof) by the department and or other contractors, of roads, bridges, foot bridges, lighting and such other facilities constructed by the contractor for use in the performance of the contract without direct additional cost to the contract.

(4) Climatic conditions:

The Engineer-in-charge may order the contractor to suspend any work that may be subject to damage by climatic condition.

(5) Right of way:

The site for the installation of machinery or the right of way for the works to be constructed under this contract and for necessary stacking site, borrow pits, channels, spoil banks, ditches, roads etc, will be arranged by the contractor after consultations with the department.

(6) Date to be furnished by the contractor:-

The contractor shall submit the following information to the Engineer-in-charge/Chief engineer (I&W) within the period specified in each cases.

The proposed construction program and time schedule showing sequence of operations in the form of CPM chart within **thirty** days after the date of receipt of notice to proceed with the work (formal work order).

(7) Permits for materials:

The department may assist in arranging permits for construction materials, priorities for transport by road, rail or steamer or written request but will not entertain any claim for compensation for any delay in obtaining such materials which however, may be considered in giving extension of time only.

(8) Supply details:-

Before the dispatch of any materials to be supplied by him, the contractor shall duly notify the Executive Engineer regarding the source of supply and the route over which such materials is to be transported.

(9) Leviable charges:

The following charges, where leviable are payable by the contractor:

- a. Forest Department Road Toll for materials transported through Forest Department Road.
- b. Royalty/ Monopoly on all forest produce used like Boulder, aggregates, timber, bamboo thatch etc.
- c. Demurrage of wherever, if so levied due to contractor's fault.
- d. Sales tax on all materials purchased if it is applicable on them.
- e. Compensation for damage, use or appropriation of private property.

Such charges, if any, will be recovered by the Department from the Contractor and will be paid to the department concerned. Any charges in rates for forest royalty, sales tax etc, during the tenure of the work will be borne by the contractor.

(10) Unless otherwise specified, all tender item rates are inclusive of the supply of materials and all handling and transport charges to work.

(11) When the Engineer-in-charge accepts a power of attorney executed by a contractor as conferring authority on a bank to receive payment on his behalf, all payment under the contract may be made direct to the bank. On contractor's own acceptance of the correctness of the amount made out as being due to him by the Department, but in case of dispute between the contractor and the bank all dues to the contractor will be kept in deposit till the contractor and the bank (through an authorized agent) arrive at an amicable settlement or either party established its claim by recourse of law.

(12) Measurements: Measurements will be taken in numbers of fully matured RCC porcupine bars supplied in good condition and stacked near the laying site. Damaged bars/ bars with improper holes for bolts will not be considered for measurements.

- (13) (a) The contractor shall construct suitable go-down, stacking site at the site of work for storing the materials safe against damage of sun, rain, dampness, fire, theft etc, at his own cost.
- (b) The contractor shall also employ necessary watch and ward establishment for the purpose at his own cost.
- (c) The materials are to be stacked in a proper level ground with measurable stack and every stacked should be marked with white paint at the toe of the stack with serial number. Before utilization, the stack are to be measured and the stack number is to be noted in presence of Engineer-in-charge/sit Engineer of the Department in register. The location of such stack/stockyard shall be selected in consultation with site Engineer. The rent etc for stockyard is the responsibility of the contractor. In case of necessity for shifting of stacked boulder/ materials due to any reason before their laying at a safe distance from the river bank and the same will be carried out by the contractor at his own cost.
- (d) If directed, materials shall be tested in any approved testing laboratory and the test certificate in original shall be submitted to the Engineer-in-charge and the entire charges connected with testing including charges for repeated tests, if ordered shall be borne by the contractor.
- (e) All equipment & facilities for carrying out field test on materials shall be provided by the contractor without any extra cost.
- (f) All materials supplied by the employer/any other specialist firm & materials of contractor for which advance is given by the Department shall be properly stored and the contractor shall be responsible for its safe custody until they are required on works and till the completion of works. The Board may also deploy its own personnel at such stockyard to oversee and supervise in the Boards interest.
- (14) Supply of machinery. No tools and plants/machineries will normally be supplied by the Department for the execution of the work. In case any T&P is available and is given to the contractor, necessary hire charges will be recovered from the running bills as per rates fixed by the Department.
- (15) The contractor must not sublet the work or any part of the work without the permission of the Chief Engineer (I&W), Brahmaputra Board.
- (16) No labourer under fourteen years of age shall be employed for the work and all labourers employed shall be paid at rates not less than generally paid for similar work in the neighborhood and as per minimum wage circular of the labour Deptt. Govt. of Assam, Labour license shall be obtained by the contractor from the competent authority.
- (17) Labourer engaged by the contractor for unskilled/semi skilled should invariably be local people, wherever such people are available.
- (18) It will be bidder's responsibility to arrange for permit for collection of stones, river boulders, gravels, sand and other required materials and make payment for royalties for those. The Departments may however, help in arranging the permit if it is a government quarry but the contractor will have to pay the royalties as required.

- (19) All works shall have to be carried out as per specifications in APWD schedules of rates, relevant IS specification and Technical specification covered in the tender. In case of any variation or contradiction between specifications referred to above, the decision of the Chief Engineer (I&W) shall be applicable.
- (20) The contractor shall provide for necessary insurance as per workman compensation Act and also provide for 3rd party insurance risks.
- (21) The water and electricity required for construction and for their own camp purpose shall be arranged by the contractor.
- (22) Price variation:
The accepted tender rate/L.S. price shall remain firm for the entire period of construction and no price variation will be allowed even if there is change in labour wages, P.O.L. and cost of living index during entire construction period.
- (23) If arbitration arises, the jurisdiction will be the “Gauhati High Court”.
- (24) Quality Control: The following quality control tests are to be conducted during execution of the work, -

Material	Test	Desired Strength	Field/ Lab. Test	Frequency of Testing
Concrete Cube of 15 cm size	Compressive Strength a) 7-day strength b) 28-day strength	10 N/mm ² 15 N/mm ²	Lab.	Every 1000 nos. of bars
RCC porcupine bar	Non destructive test for determination of compressive strength by using Rebound Hammer/ Schmidt Hammer	As calibrated for M15 concrete with the correlate chart provided by manufacturer of the instrument.	Field	Every 100 nos. of bars
Coarse Aggregate	1. Aggregate Impact Value 2. Water Absorption	≤ 30% < 1%	Lab.	Every 1000 nos. of bars
Sand	1. Sieve Analysis	Grading Zone: II/III of IS:383	Field	Every 1000 nos. of bars
	2. Silt & Clay Content	< 3%	Lab.	-do-
MS Rod	Tensile Strength	As per IS specification	Lab.	Every 1000 nos. of bars
G.I. Wire	Tensile Strength	As per IS specification	Lab.	Every 1000 nos. of bars
Concrete Mixer	Slump Test	< 25mm	Field	Every 500 nos. of bars

Chief Engineer (I&W)

Schedule of Item & Quantity

Sl.	Item of work	Qntty.	Unit	Rate in figure	Rate in words
1	2	3	4	5	6
1	<p>Casting and Supplying of RCC (1:2:4) porcupine bars of size of each member 0.10x0.10 x3.00m reinforced by 4 nos. 8mm dia TMT bar with stirrup of galvanized wire 4mm dia at 15cm c/c holes of 20mm dia 50mm inside from both ends and the same face and in other face of post, another 2 nos of holes of size 20mm dia at 65 cm inside from the both ends cured properly and complete in all respect (R.C.C Porcupine members are to be delivered to the Stock-yard near the laying site/ sites as directed by the dept). (Group No. 3)</p> <p>Casting & supply of RCC porcupine bar at Salmara-Bessamara & Sumoimari area.</p>	66828	Nos.		

SPECIFICATION:

3. Cement: Ordinary Portland Cement of 43/53 Grade of IS specification.
4. Fine Aggregate or Sand: Sand should coarse with Fineness Modulus of 2.5 to 3.5. It should be free from dust, dirt or any other deleterious materials.
5. Coarse Aggregate: Coarse aggregate should be well graded with size between 5.6mm to 13.2mm obtained from crushed stone.
6. TMT bar: Bar should be ISI marked of size: 8mm dia.
7. G.I. Wire for stirrup: 4mm dia wire of ISI specification

Chief Engineer(I&W)

DEFINITIONS

For the purpose of this contract the following terms will have the meaning herein assigned to them.

- a) The Chief Engineer (I&W), of Brahmaputra Board, Basistha is the technical and administrative head of the work.
- b) The Engineer-in-charge is the Executive Engineer concerned
- c) The “Contractor” shall mean the person or firm undertaking to execute the works.
- d) The word “Work” whenever used in this document shall comprise not only works of construction but also all accessories there to.
- e) The ‘specifications’ shall mean specification mentioned in the design and drawings and relevant specification as per BIS codes.
- f) The working ‘Drawings’ shall mean collectively all the accompanying general drawings as well as all detailed drawings which may be used by the Board from time to time.
- g) Wherever figure are shown after the word ‘Elevation’/ ‘Reduced Level’ or an abbreviation thereof or when figures representing ‘Elevation’ or ‘Reduced level’ are given they shall mean the height in meter above the mean sea level.
- h) ‘Security Deposit’ shall mean all deposits whether in cash or Government securities or amounts mentioned in performance bonds pledged to the Board for adjustment in case of compensation or penalties and which may stand forfeited either in part or whole as the situation demands.
- i) ‘Department’ shall mean the Brahmaputra Board with Head office at Basistha Guwahati-781029, (Assam)

Chief Engineer(I&W)

For Authorized use only

**GOVERNMENT OF INDIA
BRAHMAPUTRA BOARD
(MINISTRY OF WATER RESOURCES)
BASISTHA : GUWAHATI
PIN-781029**

TENDER DOCUMENT

FINANCIAL BID

Name of work:- Casting & Supply of RCC
Porcupine bars of specified
size at Salmara-Bessamara &
SumoimarArea in Majuli
(Gr – 3)

Issued to

Issued by

BRAHMAPUTRA BOARD
BASISTHA: GUWAHATI-29

INDEX

<u>PARTICULARS OF ITEM</u>	<u>PAGE NO.</u>
BRIEF PARTICULARS OF WORK	1
INFORMATION & INSTRUCTION TO BIDDER	2
ITEM RATE TENDER AND CONTRACT	3
ITEM RATE TENDER FOR WORKS	5
TERMS AND CONDITIONS OF CONTRACT	7
SPECIAL CONDITIONS OF CONTRACT	9
SCHEDULE OF ITEM & QUANTITIES	13
DEFINITIONS	14
